

# **Containment Product Guide**



# Access Exclusive Trade Pricing, Create Your Account Today.

Scan the QR code to set up your trade account. If you require assistance, contact us on 1800 007 557 or email accounts@sitemax.com.au



Scan to Get Started!





# **Contents**

#### **Environmental Protection Containment**

Scafclad Encapsulation Sheeting	4
Shrinkclad Shrink Wrap	14
Tuffclad Ripstop Vinyl Cladding	30
Tuffclad Sonic Quilts	34
Debris Safety Containment	
Siteclad Shade Cloth	36
Siteclad Quad Net	42
Spidermesh	46
Scaffmesh Chain & Shade	54
Ground Cover Protection	
Gripclad Ground Cover & Geofabric	67
Composite Mesh	
Lyta Mesh, Lyta Grid, Lyta Power Safe & More	68
Scaffolding Products	
Safety Accessories, Tapes, Tags, Stickers & More	72
Banner Mesh Signage	
Custom Printed Banner Mesh	78
	78 80
Custom Printed Banner Mesh	
Custom Printed Banner Mesh Custom Printed Site Entry Banner	80
Custom Printed Banner Mesh Custom Printed Site Entry Banner Access Way & Exclusion Zone Safety Banner Mesh	80 80
Custom Printed Banner Mesh Custom Printed Site Entry Banner Access Way & Exclusion Zone Safety Banner Mesh Fencing Construction Service	80 80 82
Custom Printed Banner Mesh Custom Printed Site Entry Banner Access Way & Exclusion Zone Safety Banner Mesh Fencing Construction Service Banner Mesh Installation Service	80 80 82

# **SCAFCLAD™** Encapsulation Sheeting

Scafclad sheeting provides durable environmental protection, securely containing pollutants, dust, and hazardous materials in all conditions. Offered in heavy-duty and FlameX flame-retardant options, Scafclad FlameX is certified for safe use on scaffolding under Australian Standards.

# The Original Scafclad, Proudly Ours Since 2003



Scan to learn more about Scafclad



#### **PRODUCT USES**


- ✓ Weather Protection & Climate Control
- ✓ Waterproofing & Temporary Shelters
- ✓ Dust & Particulate Control
- ✓ Paint Over-spray & Surface Protection
- ✓ Abrasive / Sand Blasting
- ✓ Asbestos & Lead Paint Removal
- ✓ Demolition Works

#### **PRODUCT FEATURES**

- **✓** AS1576.7 Certified Options
- ✓ FlameX Fire Retardant Options
- ✓ UV Stabilised & Weather Resistant
- ✓ Ideal for Digital Printing & Branding
- ✓ Customisable to Suit Purpose of Use
- ✓ Custom Sizes to Suit Projects of Scale


# Sealed Eyelets for Optimal Waterproofing

Each Scafclad roll includes reinforced eyelet bands along its full length, with eyelets positioned every 100mm. All eyelets are sealed until penetrated with fixing ties to secure sheeting during installation, ensuring containment is as waterproof as possible.



#### 2m x 45m Scafclad™

Double rows run along the top and bottom edges, with a single row along the centre of the sheet.



#### 4m x 45m Scafclad™


Double rows of eyelets run along the top and bottom edges, with single rows positioned 1.4m from each edge.

# Secure Your Site, Safeguard the Environment.

Scafclad Environmental Protection Containment keeps pollutants contained, safeguarding your project and the surrounding environment.

# Easy Installation, Trusted Tight Seal

Scafclad's overlapping sheets provide weather and dust proofing for optimal performance. Installation is easy with **Sitemax Elastic Fixing Ties**, featuring a pointed tip for quick setup and removal. These ties adjust tension with wind loads—staying slack in calm weather and tightening under pressure to reduce tearing, shock loading, and stress on eyelets, enhancing durability and safety in extreme conditions.



#### Weather proofing

Upper sheets overlap lower sheets to prevent rain from entering contained site



Lower sheets overlap upper sheets to contain dust on site



#### **Strong Pointed Tips**

Easily pierces through sealed eyelets for quick installation and removal



#### **Tension Elasticity**

Elastic cord adjusts tension in windy conditions for optimal durability







# Customise Scafclad Containment For Your Next Project.

We supply everything needed to customise Scafclad containment for your project, ensuring durability, compliance, and easy installation.

# Digital Printing That Builds Your Brand


Our advanced digital printing customises Scafclad with any solid colour or branded design, delivering a high-quality finish that boosts brand visibility while maintaining effective environmental containment.

Scafclad meets both safety and branding goals by promoting a professional appearance and reinforcing brand identity on-site.

#### **Design Support**

We custom-design Scafclad artwork to suit your project vision and maximise on-site brand exposure.





#### **Superior Print Quality**

Scafclad offers highresolution printing with UV stabilised inks for long-lasting vibrancy.



Scafclad is customised inhouse and always in stock, keeping lead times short and dispatch fast.









# We Supply Everything You Need.

Whether you need access doors, ventilation windows, or containment customisations made in-house by our dedicated team, we make it happen.



Welded Joins For Custom Size Sheeting & Projects of Scale



Rope Edging For Sail Track Installation



Double-sided Tape Seals Between Joins for 100% Sealed Containment



Screw-in Joining Buttons for Secure Sheeting Joins



Snap Joining Buttons for Strong, Secure Sheeting Joins







# flame Sets me sea. Safety Compliance. **Sets The Standard For**

# Flame Retardant & AS1576.7 Certified

FlameX fire retardant products exceed Australian Industry Standards, ensuring top-tier safety and compliance across a wide range of applications.

All Scafclad products are rigorously tested to meet key safety standards, including AS1530.2 and AS1576.7, which require a flammability index of 25 or lower. As shown in Figure 1, Scafclad FlameX products achieve a flammability rating of 1, ensuring they are safe for scaffolding use.

**Scafclad FlameX** is approved for non-structural applications and, when paired with custom Sitemax Scaffmesh<sup>™</sup> chainwire, meets all state, territory, and national structural safety standards.

Scafclad Super FlameX, the newest addition to our range, exceeds Queensland's burst pressure requirements and meets all Australian safety standards, offering superior protection and peace of mind.



Download our data sheets online or request a copy of our comprehensive testing reports by contacting our team on 1800 007 557 or emailing sales@sitemax.com.au.

#### FLAMMABILITY INDEX RATING



Figure 1: Flammability Index Rating

#### **NEW**

# SCAFCLAD<sup>™</sup> SUPER

Meets and exceeds burst pressure requirements outlined in Section 315D of the QLD Govt. WHS Act 2011.



Flame Retardant & AS1576.7 Certified for structural applications and safe use on scaffolding when installed with Sitemax HT Premium Chainwire.







#### SCAFCLAD LIGHT | 150GSM



SCAFCLAD FLAMEX | 215GSM



SCAFCLAD | 200GSM



SCAFCLAD SUPER FLAMEX | 230GSM

All testing reports shown in this product guide are partial samples only, please email sales@sitemax.com.au to a request a copy of our comprehensive testing reports.

# **SCAFCLAD PRODUCT RANGE**

SKU	SIZE	PALLET QTY	GSM	HEAVY DUTY	FLAME RETARDANT	UNIT RRP	CUSTOM PRINT RRP
SCAFCLAD™ LIGHT ENCAPSULATION SHEETING							
SCP-15-245	2m x 45m	30				-	\$805
SCP-15-422	4m x 22.5m	30	150	-	$\checkmark$	\$355	-
SCP-15-445	4m x 45m	20				\$710	-
SCAFCLAD™ STAI	NDARD FLAME	RETARDANT	ENCAPSUL	ATION SHE	ETING		
SCP-F20L-245	2m x 45m	30	200			\$430	-
SCP-F20L-445	4m x 45m	16	200	-	<b>4</b>	\$860	-
SCAFCLAD™ FLA	MEX ENCAPSUL	ATION SHE	ETING				
SCP-F20-245	2m x 45m	30				\$578	\$1,028
SCP-F20-22545	2.25m x 40m	30				\$578	-
SCP-F20-345	3m x 45m	20	215	-	flame	\$867	-
SCP-F20-422	4m x 22.5m	30				\$578	-
SCP-F20-445	4m x 45m	16				\$1,155	-
SCAFCLAD™ FLA	MEX ENCAPSUL	ATION SHE	ETING   ROP	E EDGED			
କ୍ର SCP-F20-245ET	2m x 45m	-				\$1,568	\$2,018
SCP-F20-245ET  SCP-F20-445ET	4m x 45m	-			<b>G</b>	\$2,145	-
SCP-F20-245ETB	2m x 45m	-	215	-	flame	\$2,558	-
SCP-F20-245ETB  SCP-F20-445ETB	4m x 45m	-				\$3,135	-
SCAFCLAD™ SUP	ER FLAMEX HE	AVY DUTY EI	NCAPSULAT	TION SHEET	ING		
SCP-F26-245	2m x 45m	30				\$698	\$1,148
SCP-F26-445 SCP-F26-445	4m x 22.5m	32	230	<b>✓</b>	flame	\$698	-
SCP-F26-445	4m x 45m	16				\$1,397	-
<b>-</b> SCAFCLAD™ HD U	IV RESISTANT E	NCAPSULA	TION SHEET	ING			
SCP-25-245	2m x 45m	30				\$423	\$873
SCP-25-422	4m x 22.5m	30	240	<b>✓</b>	-	\$423	-
SCP-25-445	4m x 45m	16				\$846	-
ANTI-STATIC ENC	APSULATION S	HEETING					
SCP-AS-245	2.56m x 50m	20	700	_	<b>√</b>	\$1,494	_

## **SAIL TRACKING**

PRODUCT IMAGE	DESCRIPTION	SKU	COLOUR	SIZE	UNIT RRP
		SCT910S6	MILL FINISH		
	Aluminium Single Sail Track For 7.5mm keder/ rope-edge	SCT911S6	BLACK	6m	\$40
	rope-eage	SCT912S6	WHITE		
	Aluminium Double Sail Track For 7.5mm keder/ rope-edge	SCT910S6D	MILL FINISH		\$55
		SCT911S6D	BLACK	6m	
		SCT912S6D	WHITE		







# **SCAFCLAD FIXINGS**

PRODUCT IMAGE	DESCRIPTION	SKU	SIZE	PKT QTY	CTN QTY	RRP
	Packet of Sitemax Joining Screw Buttons	SCF200	30mm x 25mm	100	<b>24</b>	\$90
	Packet of Sitemax Joining Buttons, Male & Female	SCF201	30mm x 25mm	100	20	\$90
	Packet of Sitemax Elastic Fixing Ties Angled Tips	SCF202	5mm x 300mm	100	10	\$110
	Packet of Sitemax Elastic Fixing Ties Pointed Tips	SCF204	5mm x 300mm	100	10	\$110
		SCF108-B	300mm x 4.8mm	100	100	\$8
		SCF112-B	370mm x 4.8mm	100	50	\$10
	Packet of Sitemax Premium UV Resistant Black Cable Ties	SCF116-B	370mm x 7.6mm	100	50	\$17
	Cable Hes	SCF122-B	400mm x 9mm	100	25	\$28
**************************************		SCF125-B	530mm x 9mm	100	10	\$42
	Sitemax	SCF300	300mm x 3 Magnets	1		\$150
	Magnetic Bar  22kg of magnetic force per magnet	SCF301	600mm x 4 Magnets	1		\$200
	For securing sheeting to scaffolding or other	SCF302	1200mm x 5 Magnets	1		\$290
	metal structures	SCF303	1800mm x 6 Magnets	1		\$360

## **SCAFCLAD TOOLS**

PRODUCT IMAGE	DESCRIPTION	SKU	SIZE	PKT QTY	CTN QTY	RRP
	Heavy Duty Plier Stapler	SCF250	203mm x 95mm	1		\$137
SIALS STATES	Box of Electro Galvanised Chisel Point Staples For HD Plier Stapler	SCF252	10mm	5,000		\$21
	Heavy Duty Hammer Tacker / Floor Stapler	SCF255	310mm (L) 100mm (H) 50mm (W)	1		\$210
	Box of 10mm A11 Staples For HD Hammer Tacker	SCF256	10mm	5,000		\$110
Sterling* sterlingbook core to	Small Safety Slitter Knife	SCF260	75mm x 47mm	1		\$8
	Safety Slitter	SCF261		1		\$14
8	Black Panther Scissors	SCF262	235mm	1		\$68

For zipper windows, zipper doors, installation tapes, and more, see pg.21-26 of this product guide.

# **Need It Pronto?**

Experience trade pricing and faster order processing by setting up your trade account with us today.



Scan the QR Code



# **SHRINKCLAD™** Shrink Wrap

Shrinkclad Shrink Wrap is a UV-stabilised polymer film that shrinks under heat for a seamless fit on scaffolding. Available in various sizes and FlameX fire-retardant options, it provides 100% sealed, safe, and secure containment that can be customised to suit project specifications.

100% Sealed, Safe & Secure.



Scan to Learn More About Shrinkclad

#### **PRODUCT USES**

- √ 100% Sealed & Secure Containment
- ✓ Weather Protection & Climate Control
- ✓ Water Proofing
- ✓ Dust & Particulate Control
- ✓ Paint Over-spray & Surface Protection
- ✓ Abrasive / Sand Blasting
- Asbestos & Lead Paint Removal
- ✓ Demolition Works
- ✓ Packaging Wrap for Secure Transportation

#### **PRODUCT FEATURES**

- ✓ AS1576.7 Certified Options
- ✓ FlameX Fire Retardant Options
- ✓ UV Stabilised & Weather Resistant
- ✓ Customisable to Suit Purpose of Use
- ✓ Custom Lengths to Suit Projects of Scale
- ✓ Available in Jumbo Rolls



# Everything You Need From One Supplier.

We supply everything you need to guarantee a successful Shrinkclad Installation, from zipper windows and doors, to heat tools and tape, we've got you covered.



# Customise Without Compromise.

We provide everything required for on-site Shrinkclad installation, enabling workers to efficiently manage the process and customise containment solutions to their needs. In addition, we offer **Shrinkclad Installation Training** to ensure your team knows how to effectively use the tools and products for a seamless, successful installation every time.

## **Effortless Handling For Efficient Installation.**

Simplify handling jumbo Shrinkclad rolls with our custom Jumbo Roll Dispenser (SCW108), designed to streamline unrolling and re-rolling jumbo rolls during installation for effortless workflow and efficiency.



#### **Heavy Duty Zipper Windows & Doors**

Manufactured in-house by our dedicated team for the highest quality and performance guaranteed



#### **Serrated Edge** ShrinkTape

Easy to tear and available in three different sizes for faster installation












# Flame Retardant & AS1576.7 Certified


**Shrinkclad FlameX** products are fully certified to AS1576.7 standards, ensuring they meet stringent Australian safety requirements for non-structural scaffolding applications. These products provide dependable containment while offering the confidence and peace of mind needed for your project.




Download our data sheets online or request a copy of our comprehensive testing reports by contacting our team on 1800 007 557 or emailing sales@sitemax.com.au.

#### **FLAMMABILITY INDEX RATING**





#### SHRINKCLAD FLAMEX | 225µm



SHRINKCLAD FLAMEX | 300µm

All testing reports shown in this product guide are partial samples only, contact us to access complete testing reports.

# Conquer Every Wrap, Every Time.

# Master Your Shrinkclad **Installation Skills With Expert Training.**

We provide on-site training across Australia to ensure your team has the skills needed for flawless Shrinkclad installations. Our experienced trainers deliver practical, hands-on guidance, helping your crew master everything from material handling to precise application.



Contact our team or scan the QR Code to submit your booking request for Shrinkclad Installation Training today.

#### **ON-SITE HALF DAY TRAINING**

#### \$3,600\*^

\*Price includes travel costs for Brisbane or Sydney metro areas.

^Price excludes additional travel/accommodation costs which may be incurred for training required outside Brisbane or Sydney metro areas.

#### TRAINING BENEFITS

- On-site Training Provided Australia-wide
- **Develops Practical Skills**
- Improves Installation Efficiency
- Training Is Tailored To Suit Project Needs
- **Empowers Teams To Tackle Any Project**
- Improves Installation Precision & Quality
- Improves Technique for Flawless Results





# **SHRINKCLAD | Completed Projects**











Shrinkclad & Printed Tuffclad Containment for Cross River Rail Demolition Works





### FLAMEX SHRINKCLAD PRODUCT RANGE

SKU	SIZE	PALLET QTY	μm	FLAME RETARDANT	UNIT RRP				
SHRINKCLAD™ FLAMEX SHRINK WRAP									
SCW-WF22-121	12.2m x 1m	CUSTOM			\$92				
SCW-WF22-730	7m x 30m	23			\$1,470				
SCW-WF22-930	9m x 30m	11	225	flame	\$1,890				
SCW-WF22-1230	12.2m x 30m	11			\$2,510				
SCW-WF22-12360	12.2m x 360m	1			\$33,120				
SCW-WF30-715	7m x 15m	30	300	flame	\$930				
HRINKCLAD™ FLAMEX	SHRINK WRAP   ROPE E	DGED ON TOP	ONLY						
SCW-WF22-1230ET	12.2 x 30m	-	225	flame	\$3,170				
SCW-WF22-730ET	7m x 30m	-	223	reame	\$2,130				
SCW-WF30-715ET	7m x 15m	-	300	flame	\$1,260				
SHRINKCLAD™ FLAMEX SHRINK WRAP   6MM ROPE EDGING PER LINEAL METRE									
SCWSHRINKEDGING	Per L/M	CUSTOM	225 / 300	flame	\$22				

For sail tracking, see pg.11 of this product guide.



# FlameX Shrinkclad is awesome in quality and the easiest to install

- Crockett Industries, Mt. Isa

### FLAMEX SHRINKCLAD PRODUCT RANGE

SKU	SIZE	PALLET QTY	μm	FLAME RETARDANT	UNIT RRP				
SHRINKCLAD™ FLAMEX SHRINK WRAP									
SCW-WF22-121	12.2m x 1m	CUSTOM			\$92				
SCW-WF22-730	7m x 30m	23			\$1,470				
SCW-WF22-930	9m x 30m	11	225	flame	\$1,890				
SCW-WF22-1230	12.2m x 30m	11			\$2,510				
SCW-WF22-12360	12.2m x 360m	1			\$33,120				
SCW-WF30-715	7m x 15m	30	300	flame	\$930				
SHRINKCLAD™ FLAMEX	SHRINK WRAP   ROPE E	DGED ON TOP	ONLY						
SCW-WF22-1230ET	12.2 x 30m	-	225	fl amo.W	\$3,170				
SCW-WF22-730ET	7m x 30m	-	225	flame	\$2,130				
SCW-WF30-715ET	7m x 15m	-	300	flame	\$1,260				
SHRINKCLAD™ FLAMEX	SHRINK WRAP   6MM R	OPE EDGING P	ER LINEAL ME	TRE					
SCWSHRINKEDGING	Per L/M	CUSTOM	225 / 300	flame	\$22				

For sail tracking, see pg.11 of this product guide.



# FlameX Shrinkclad is awesome in quality and the easiest to install

- Crockett Industries, Mt. Isa

## SHRINKCLAD PRODUCT RANGE

sku	SIZE	PALLET QTY	μm	FLAME RETARDANT	UNIT RRP				
SHRINKCLAD™ SHRINK WRAP									
SCW-W16-610	6m x 10m	16			\$182				
SCW-W16-530	5m x 30m	16			\$260				
SCW-W16-8125	8m x 12.5m	16	160	-	\$298				
SCW-W16-4250	4.2m x 50m	16			\$455				
SCW-W16-1018	10m x 18m	16			\$515				
SCW-W20-450	4m x 50m	16	202		\$1,040				
SCW-W20-5550	5.5m x 50m	16	203	-	\$1,420				

#### SHRINKCLAD™ STANDARD FLAME RETARDANT SHRINK WRAP

SCW-WFL22-730	7m x 30m	23	225		\$980
SCW-WFL22-1230	12.2m x 30m	11	225	•	\$1674

For sail tracking, see pg.19 of this product guide.

# Master Your Shrinkclad Skills.



Scan the QR Code to submit your request for Shrinkclad Installation Training today



# **SHRINKCLAD TAPES, FIXINGS AND TOOLS**

PRODUCT IMAGE	DESCRIPTION	SKU	SIZE	PKT QTY	CTN QTY	RRP
	Shrinkclad White Shrink Tape	SCWWT48	48mm x 55m	1	24	\$47
	Serrated edge for easy tearing and	SCWWT96	96mm x 55m	1	12	\$82
	quick installation	SCWWT152	152mm x 55m	1	8	\$100
	Shrinkclad	SCWWTE50	50mm x 50m	1	24	\$23
	White Shrink Economy Tape Non-Serrated edge	SCWWTE100	100mm x 50m	1	12	\$45
	Non-Serrated edge	SCWWTE150	150mm x 50m	1	8	\$68
	Double-sided Adhesive Sealing Tape	SCF081	50mm x 50m	1	18	\$85
	Adnesive Sealing Tape	SCF082	25mm x 50m	1	36	
	Black Cloth	SCF091	48mm x 25m	1	30	\$15
	Adhesive Tape	SCF090	96mm x 25m	1	12	\$23
COST TO STATE OF THE PARTY OF T	Super Strength Spray Adhesive	SCW305	500ml	1	12	\$50
	Packet of Shrinkclad Metal Spring Clips To Fit Scaffolding	SCW301	48.3mm	50		\$200
	Packet of Shrinkclad PVC Spring Clips To Fit Scaffolding	SCW302	48.3mm	50		\$200
<	50mm Spring Clamp	SCW300	103mm x 103mm x 22.5mm 50mm Jaw Opening	1		\$20

# SHRINKCLAD HEATING TOOLS AND EQUIPMENT

PRODUCT IMAGE	DESCRIPTION	SKU	SIZE	PKT QTY	RRP
THE REAL PROPERTY OF THE PARTY	Ripack 3000 Heat Gun Tool Kit 45-80kW  Kit includes carry bag, regulator, hose, and spanner	SCW100	375 x 262 mm	1	\$2,850
	Ripack 3000 Heat Gun Angled Extension Wand	SCW102	1.06 m	1	\$1,780
	Ripack 3000 Piezo Igniter For use without an extension	SCW105	Fits Ripack 3000	1	\$220
	Ripack 3000 Spark Plug	SCW104	Fits Ripack 3000	1	\$60
	Ripack 3000 Hose Reel Extension	SCW101	15m	1	\$706
	Ripack 3000 Retractable Hose Reel 15m hose + 4m supply side	SCW103	210mm x 495mm x 475mm	1	\$4,140
	Ripack 3000 936 Gas Bottle Trolley Suitable for gas cylinders up to 19kg	SCW135	489m x 483mm x 1889mm	1	\$1,140
	Leister Forte S3 Electric Heat Gun 400V/10kW	SCW090	390mm x 132mm x 215mm	1	\$6,800
	Fire Extinguisher A:B:E Dry Powder 4.5kg	SCW120	160mm x 160mm x 460mm	1	\$95
	Gas & Cylinder 8.5kg	SCW136	990mm x 470mm x 470mm	1	\$110

## **SHRINKCLAD SAFETY PROTECTION GEAR**

PRODUCT IMAGE	DESCRIPTION	SKU	SIZE	PKT QTY	RRP
	Shrink Wrapping Leather Gloves	SCW200	406mm (L)	1	\$18
	Shrink Wrapping Leather Arm Protection Sleeves	SCW201	One Size Fits All	1	\$33
and and	Clear Lens Anti-Fog Safety Glasses 99.9% UV Protection	SCW210	One Size Fits All	1	\$75
	Smoke Lens Anti-Fog Safety Glasses 99.9% UV Protection	SCW211	One Size Fits All	1	\$75

#### SHRINKCLAD WOVEN STRAPPING / LASHING

			i iito / EAS			
PRODUCT IMAGE	DESCRIPTION	SKU	SIZE	PKT QTY	CTN QTY	RRP
	19mm Woven Strapping - Blue Stitch	SCW313	19mm x 850m 590kg Breaking Strain	1		\$171
	19mm Woven Strapping - Red Stitch	SCW314	<b>19mm x 500m</b> 1100kg Breaking Strain	1		\$174
2300 daN/5100 LBS	32mm Woven Strapping - White	SCW323	<b>32mm x 125m</b> 2300kg Breaking Strain	1		\$110
200 days 500	32mm Woven Strapping - Orange	SCW324	<b>32mm x 230m</b> 2300kg Breaking Strain	1		\$175
	Carry Dispenser for Woven Strapping	SCW311	Core: 76mm Disc Ø: 400mm	1		\$160

# **WOVEN STRAPPING, BUCKLES AND TOOLS**

PRODUCT IMAGE	DESCRIPTION	SKU	SIZE	PKT QTY	RRP
	32mm Woven Strapping - White	SCW331	<b>32mm x 250m</b> 4000kg Breaking Strain	1	\$278
	32mm Woven Strapping - Orange	SCW332	<b>32mm x 250m</b> 4000kg Breaking Strain	1	\$278
	40mm Woven Strapping - White	SCW342	<b>40mm x 200m</b> 8500kg Breaking Strain	1	\$370
	40mm Woven Strapping - Orange	SCW343	<b>40mm x 200m</b> 8500kg Breaking Strain		\$370
35mm 40mm	35mm Drop Forged Buckle	SCW330	35mm	50	\$258
	40mm Drop Forged Buckle	SCW340	40mm	20	\$300
CX PS	19mm Heavy Duty Strapping Buckles	SCW310	19mm	1,000	\$159
	32mm Heavy Duty Strapping Buckles	SCW320	32mm	250	\$186
000	Standard Strapping Tensioner 12-19mm	SCW312	12-19mm	1	\$174
GOD.	Heavy Duty Strapping Tensioner 12-19mm	SCW312H	12-19mm	1	\$696
350	19-40mm Strapping Tensioner	SCW322	19-40mm	1	\$1,522
	19-40mm Heavy Duty Strapping Tensioner	SCW322H	19-40mm	1	\$1,741
	50mm Heavy Duty Strapping Ratchet Tensioner	SCW341	Up to 50mm	1	\$1,850

## **RATCHET STRAPS**

PRODUCT IMAGE	DESCRIPTION	SKU	SIZE	PKT QTY	RRP
15000	Ratchet Strap 1500kg Capacity	SCW380	35mm x 6m	1	\$41
2500kg	Ratchet Strap 2500kg Capacity	SCW385	50mm x 9m	1	\$44

## SHRINKCLAD ZIPPER DOORS AND WINDOWS

PRODUCT IMAGE	SKU	COLOUR	SIZE	үтү	UNIT RRP	CUSTOM PRINT RRP
HEAVY-DUTY (HD) VINYL ZIF	PPER DOOR ACCESS	READY-M	ADE			
	SCW401C	CLEAR			\$118	-
	SCW401W	WHITE	1m x 2m	1	\$118	\$160

#### DANGER: NO ENTRY AUTHORISED PERSONNEL ONLY | PRINTED HD VINYL ZIPPER DOOR ACCESS



#### DANGER: NO ENTRY BLASTING IN PROGRESS | PRINTED HD VINYL ZIPPER DOOR ACCESS

# **SHRINKCLAD ZIPPER DOORS AND WINDOWS**

PRODUCT IMAGE	SKU	COLOUR	SIZE	QТY	UNIT RRP	CUSTOM PRINT RRP
HEAVY-DUTY (HD) VINYL ZIPPER V	WINDOW   READY-MADE	,			,	
	SCW402C	CLEAR				-
	SCW402W	WHITE	0.5m x 0.5m	1	\$61	-
	SCW400C	CLEAR			40-	-
	SCW400W	WHITE	1m x 1m	1	\$87	\$145
VENTILATION - PRINTED HD ZIPPE	ER WINDOW   READY-MA	DE				
VENTILATION	SCW400W-CP10	WHITE	1m x 1m	1	\$145	-
HD STRAIGHT DOUBLE-SIDED ZIP	WITH 130MM VINYL EDG	E EITHER SI	DE   READY-MADE			
	SCW403	WHITE	290mm x 2m	1	\$95	-
SELF-ADHESIVE HD STRAIGHT DO	UBLE-SIDED ZIP WITH 13	OMM VINYL	EDGE EITHER SIDE	READY-	MADE	
	SCW404	WHITE	290mm x 2m	1	\$110	-
HEAVY DUTY DUCTING ATTACHME	NT WITH 200MM POLE P	OCKETS TO	P AND BOTTOM   RE	ADY-MA	DE	
	SCW410	WHITE	1.4m x 2.8m	1	\$250	-
SITEMAX BLAST HOSE ENTRANCE	SLEEVE WITH BASE PL	ATE FOR HO	SE AND PIPES 35M	IM - 150N	1M	
SILICON SLEEVE BASE PLATE	SCW420	ORANGE	220mm x 220mm	1	\$75	

### SHRINKCLAD DISPENSERS

**ROLL CAPACITY** PRODUCT IMAGE SKU SIZE QTY RRP

#### SHRINKCLAD ROLL DISPENSER ON LOCKABLE WHEELS | 120KG CAPACITY



#### SHRINKCLAD HEAVY-DUTY JUMBO ROLL DISPENSER | 1T CAPACITY



# **Get Everything You** Need At Mate's Rates.



Scan the QR Code to set up your Trade Account for exclusive pricing today.



# **STEEL STRAPPING AND PACKAGING**

PRODUCT IMAGE	DESCRIPTION	SKU	SIZE	PKT QTY	CTN/PLT QTY	RRP
	19mm Steel Strapping 500kg per pallet Rope Wound	SAP140	Per Kg	1kg	500,5	\$3.20
-O. Agricus	19mm Steel Strapping Ribbon Wound	SAP136	~16kg	1	30	\$76
A REPUBLIE	A-Frame Steel Strapping Dispenser - Blue	SAP123	For 12-19mm Steel Strapping	1		\$148
	Steel Strapping Dispenser - Yellow	SAP126	For 13-19mm Ribbon Wound Steel Strapping	1		\$170
The section	Steel Strapping Cutter	SAP124	For 19mm Steel Strapping	1,000		\$68
G REPUBLICATION OF THE PARTY OF	Steel Strapping Tensioner	SAP120	For 12-19mm Steel Strapping	1		\$150
Artifet Artife	Steel Strapping Crimper	SAP122	For 19mm Steel Strapping Seals	1		\$90
A LEWIS CO.	Steel Strapping Seals	SAP132	For 19mm Steel Strapping	1,000		\$55
	Steel Strapping Combination Tensioner & Crimper	SAP118	For 12-19mm Steel Strapping	1		\$2,295
	Steel Strapping Kit Inc. 5 x Kit Items	SAP125	Kit Items for 19mm Steel Strapping	1 Kit		\$519

PRODUCT IMAGE	DESCRIPTION	SKU	SIZE	PKT QTY	CTN QTY	RRP
	Heavy Duty Stretch Wrap Dispenser	SAPO15	Suits 500mm x 300m Stretch Wrap Roll	1	4	\$145
	Clear Stretch Wrap 25μm	SAPO12	500mm x 300m	1	4	\$27
	Polypropylene (PP) Woven Bags UV Treated	SAP400	460mm x 710mm	100		\$125



# Get Started With A Steel Strapping Kit.

**SAP125 | STEEL STRAPPING KIT** 

RRP \$519

- √ 19mm Steel Strapping
- **✓** Steel Strapping Dispenser
- ✓ Steel Strapping Tensioner
- ✓ Steel Strapping Crimper
- ✓ Steel Strapping Seals



# **TUFFCLAD™** Ripstop Vinyl Cladding

Tuffclad is a versatile, industrial-strength ripstop vinyl designed for secure containment and weather protection. Customised in-house to fit structures of any shape, size, or purpose, Tuffclad offers reliable containment for pollutants, debris, and hazardous materials. It can also be digitally printed to meet your project's specific needs and branding.

## Tough Enough For Any Task.








#### **PRODUCT USES**

- ✓ Heavy Duty Weather Proofing
- ✓ Ground / Storage Protection Cover
- Dust, Particulate & Paint Control
- ✓ Abrasive / Sand Blasting
- ✓ Asbestos & Lead Paint Removal
- ✓ Demolition Works
- ✓ Tarpaulins, Enclosures & Curtain Screening
- √ Temporary Keder Roofing
- ✓ Noise Control Sonic Quilts

#### **PRODUCT FEATURES**

- ✓ Fire Retardant & UV Stabilised
- √ Tear-Resistant Ripstop Grain for Durability
- ✓ Custom-made to Fit Purpose of Use
- ✓ Anti-mildew & Antibacterial Properties
- ✓ Ideal for Digital Printing & Branding



# Digital Printing To Build Your Brand On Any Colour


















# We Tailor Tuffclad To Take On Any Project, No Matter How Tough.

We customise all Tuffclad containment products in-house, producing unique solutions for complex structures and sail tracking systems of any kind. From tarpaulins and curtains to keder roofing and enclosures with doors or windows, Tuffclad can be tailored to meet the unique needs of any project.



#### **Keder Edging**

Double-flap sandwich welded keder edging fits various sail track systems and enhances durability.



Rope pulley systems create easy to open and close curtain access on large enclosures.





#### **Custom Windows**

Clear vinyl zipper windows can be opened or closed for ventilation and provide greater visibility for safety.

#### **Custom Doors**

Zipper doors provide enclosure access and can be customised with clear vinyl windows for safety.







# **TUFFCLAD | Completed Projects**





Large-scale Tuffclad Dust Control Curtain Barriers



uffclad Weather Protection Temporary Keder Roofing



Digitally Printed Tuffclad Enclosure with Zipper Door Access



Digitally Printed Tuffclad Temporary Keder Roof for Shrinkclad Containment



# **TUFFCLAD PRODUCT RANGE**

SKU	COLOUR	SIZE	GSM	FLAME RETARDANT	UNIT RRP	CUSTOM PRINT RRP
TUFFCLAD™ RIPSTO	P VINYL CLADDING	G   UNEDGED				
SCT-U68-2530-OE	ORANGE					
SCT-U68-2530-YW	YELLOW					
SCT-U68-2530-WE	WHITE					
SCT-U68-2530-RD	RED	2.5m x 30m	680		\$020	CUSTOM
SCT-U68-2530-BE	BLUE	2.5m x 30m	080	•	\$930	QUOTE
SCT-U68-2530-GN	GREEN					
SCT-U68-2530-GY	GREY					
SCT-U68-2530-BK	BLACK					
SCT-U68-3230-OE	ORANGE					
SCT-U68-3230-YW	YELLOW					
SCT-U68-3230-WE	WHITE			<u> </u>	\$1,190	
SCT-U68-3230-RD	RED	2 2 20	680			CUSTOM
SCT-U68-3230-BE	BLUE	3.2m x 30m	680	•	\$1,190	QUOTE
SCT-U68-3230-GN	GREEN					
SCT-U68-3230-GY	GREY					
SCT-U68-3230-BK	BLACK					
TUFFCLAD™   DOUBL	E-FLAP WELD WITH	13MM KEDER ON LONG	SIDES AN	D POLE POCI	KET ON SHOR	T SIDES
SCT-E68-25219-W	WHITE	2.52m x 19m	680	✓	\$2,610	CUSTOM QUOTE
SCT-E68-25230-W	WHITE				\$4,121	CUSTOM QUOTE
SCT-E68-25230-C	CLEAR	2.52m x 30m	680	•	\$5,925	-
SCT-E68-25230-CP	ANY COLOUR	2.52m x 30m	680	$\checkmark$	-	\$4,566
SCT-E68-C	WHITE	CUSTOM	680	$\checkmark$	CUSTOM QUOTE	CUSTOM QUOTE
TUFFCLAD™   ROLL-U	JP DOOR WITH ROPE F	PULLEY SYSTEM AND 2	ZIPPER ON S	SIDES WITH I	BOTTOM POLE	POCKET
SCT300W	WHITE	2m x 4.8m			\$1,600	CUSTOM QUOTE
SCT301W	WHITE	4m x 4.8m	680	$\checkmark$	\$1,900	CUSTOM QUOTE
SCT300W-C	WHITE	CUSTOM			CUSTOM QUOTE	CUSTOM QUOTE
For suitable Tuffclad fixings	s, tapes, accessories, and n	nore, please refer to Scafcla	d and Shrinkcla	ad products on	pg.12 & 21.	

# **TUFFCLAD™** Sonic Quilts

Tuffclad acoustic and sonic quilts effectively absorb and block noise from construction and demolition activities. They provide reliable noise control and can be securely attached to a variety of structures, including temporary fences, scaffolding, hoarding, and other frameworks.

#### **PRODUCT USES**

- ✓ Sound Absorption & Blocking
- ✓ Occupied / High Pedestrian Areas
- ✓ Night Works & Public Works
- ✓ Generators & Plant
- ✓ Works in Occupied Facilities
- ✓ Noise Reflection Control
- ✓ EPA Noise Restrictive Areas
- ✓ Abrasive / Sand Blasting
- ✓ High-pressure Water Blasting

#### **PRODUCT FEATURES**

- ✓ Ideal for Digital Printing & Branding
- Available in All Tuffclad Colours
- ✓ Blocks Up To 21db
- ✓ NATA Tested & Certified Acoustic Rating
- ✓ Flame Retardant & AS1530.2 Certified
- ✓ Suitable for Vertical & Horizontal Install
- ✓ Weatherproof
- ✓ Light Weight at 2.7kg per/m²
- ✓ Easy to Manoeuvre & Install
- ✓ Suitable for Various Fixing Methods







# **TUFFCLAD SONIC QUILTS**

#### **TUFFCLAD™ SONIC QUILTS | UNPRINTED**

SKU	COLOUR	SIZE	WEIGHT	GSM	FLAME RETARDANT	MINIMUM ORDER QTY	UNIT RRP	CUSTOM PRINT RRP
SCN001	ANY	2m (H) x 1.3m (W) x 50mm (D)	7kg	680	✓	10	\$490	-

#### TUFFCLAD™ SONIC QUILTS WITH CUSTOM PRINTED STITCHED ON PATCH

SCN002	ANY	2m (H) x 1.3m (W) x 50mm (D)	7kg	680	✓	50	-	\$490

#### TUFFCLAD™ SONIC QUILTS | FULL CUSTOM PRINT

SCN003 ANY 2m (H) x 1.3m (W) x 50mm (D) 7kg 680   ✓ 50 -	\$490
--	-------

#### TUFFCLAD™ SONIC QUILTS | CUSTOM SIZE WITH CUSTOM PRINT

CUSTOM	ANY	CUSTOM	7kg	680	✓	50	-	CUSTOM QUOTE
--------	-----	--------	-----	-----	---	----	---	-----------------

Tuffclad products have been tested to AS1530.2. Contact our team to request a copy of our testing reports.



## **SITECLAD™** Shade Cloth

Siteclad shade cloth is perfect for temporary fencing, scaffold containment, and more. Offered in various grades and a wide range of colours, Siteclad includes FlameX fire retardant options that are AS1576.7 certified for safe use and can be customised to suit project specifications.

#### Tested for Safety, Trusted for Performance.



Scan to learn more about Siteclad



#### **PRODUCT USES**

- ✓ Debris Containment
- ✓ Dust & Paint Over-spray
- ✓ Abrasive Blasting
- ✓ Privacy Screening
- ✓ Boundary Demarcation & Temp Fencing
- ✓ Wind Reduction
- ✓ Custom Tarpaulins
- ✓ Non-Structural Applications

#### **PRODUCT FEATURES**

- ✓ AS1576.7 Certified Options
- ✓ FlameX Fire Retardant Options
- ✓ UV Stabilised for Durability
- ✓ Extensive Colour Range
- ✓ Custom Sizes to Suit Projects of Scale
- ✓ Customisable with Vinyl Edging & Eyelets
- √ 10 Year Pro-rata Warranty



## Strengthen Siteclad With Vinyl Edging

Siteclad shade cloth can be customised with a 50mm vinyl edge for added strength, creating durable custom tarpaulins for any project. Heavy-duty, UV-stabilised plastic eyelets spaced 600mm apart resist rusting and ensure installation is quick and easy, providing reliable coverage when you need it most.



## Colour Your Site In Any Shade.

Siteclad Shade Cloth offers an extensive range of colours, making it easy to match your project's aesthetic or functional needs. Designed for versatility, it can be slit and joined for large-scale applications, ensuring seamless coverage and a perfect fit every time.

#### 30% FLAMEX SITECLAD SHADE CLOTH



#### **50% FLAMEX SITECLAD SHADE CLOTH**



#### 70% FLAMEX SITECLAD SHADE CLOTH



#### 90% SITECLAD SHADE CLOTH







## Flame Retardant & AS1576.7 Certified


FlameX Siteclad shade cloth meets AS1576.7 standards, ensuring compliance with Australian safety requirements for non-structural applications. For structural applications, Scaffmesh™ combines Siteclad shade cloth and premium chainwire to deliver AS1576.7 certified scaffold containment which complies with all state, territory and national safety standards.

Please note, Scaffmesh with 30% Siteclad shade cloth is not suitable for use on scaffolding in Queensland.



Download our data sheets online or request a copy of our comprehensive testing reports by contacting our team on 1800 007 557 or emailing sales@sitemax.com.au.

#### FLAMMABILITY INDEX RATING









50% FLAMEX SITECLAD | 120gsm




70% FLAMEX SITECLAD | 170gsm

All testing reports shown in this product guide are partial samples only, contact us to access complete testing reports.



## **SITECLAD | Completed Projects**











### SITECLAD SHADE CLOTH PRODUCT RANGE

SKU COLOUR SIZE PALLET GSM GRADE FLAME UNIT RRP

#### 30% FLAMEX SITECLAD™ SHADE CLOTH | KNITTED EYELETS ACROSS TOP, MIDDLE AND BOTTOM

SCM-FL-BK18E	BLACK						
SCM-FL-BE18E	BLUE	1.8m x 50m	48	80	30%	flame	\$110
SCM-FL-LG18E	LIGHT GREEN						

<sup>30%</sup> FlameX Siteclad shade cloth is not suitable for scaffolding use in Queensland as it does not meet 1000kPa burst pressure requirements.

#### 50% FLAMEX SITECLAD™ SHADE CLOTH | KNITTED EYELETS ACROSS TOP AND BOTTOM

	7/01 LAMEX SITECLA	D 0111/1DE 0E01			ichoss ic	ANDE	11014	
	SCM-F5-BK18	BLACK						
	SCM-F5-BE18	BLUE					flame∭	\$190
	SCM-F5-GN18	GREEN			120			
	SCM-F5-RD18	RED	1.8m x 50m	40		<b>-0</b> 0/		
	SCM-F5-OE18	ORANGE	1.6111 X 30111	40	120	50%	reame	\$190
	SCM-F5-YW18	YELLOW						
	SCM-F5-BG18	BEIGE						
	SCM-F5-WE18	WHITE						
	SCM-F5-BK36	BLACK		20			flame <b>)</b>	\$380
	SCM-F5-BE36	BLUE						
	SCM-F5-GN36	GREEN			120			
	SCM-F5-RD36	RED	3.6m x 50m			50%		
	SCM-F5-OE36	ORANGE						
	SCM-F5-YW36	YELLOW						
	SCM-F5-WE36	WHITE						
>_	SCM-F5-BK20	BLACK	2 m v 50 m	40	120	F.00/	flame	¢200
WA ON	SCM-F5-BE20	BLUE	2m x 50m	40	120	50%	rtaille	\$200
AVAILABLE IN WA ONLY	SCM-F5-BK40	BLACK						
VAILAE	SCM-F5-BE40	BLUE	4m x 50m	20	120	50%	flame	\$400
A	SCM-F5-RD40	RED						
1								

SKU	COLOUR	SIZE	PALLET QTY	GSM	GRADE	FLAME RETARDANT	UNIT RRP
70% FLAMEX SITECL	AD™ SHADE CLO	ОТН					
SCM-F7-BK18	BLACK						
SCM-F7-GY18	GREY						
SCM-F7-BE18	BLUE						
SCM-F7-GN18	GREEN	1.8m x 50m	30	170	70%	flame	\$220
SCM-F7-RD18	RED	1.6111 X 50111	30	170	70%	rearrie	\$220
SCM-F7-YW18	YELLOW						
SCM-F7-BG18	BEIGE						
SCM-F7-WE18	WHITE						
SCM-F7-BK36	BLACK		12 170				\$440
SCM-F7-GY36	GREY						
SCM-F7-BE36	BLUE					flame	
SCM-F7-GN36	GREEN	3.6m x 50m		170	70%		
SCM-F7-RD36	RED	3.0111 X 30111					
SCM-F7-YW36	YELLOW						
SCM-F7-BG36	BEIGE						
SCM-F7-WE36	WHITE						
90% SITECLAD™ SHA	DE CLOTH						
SCM-S9-BK183	BLACK						
SCM-S9-BE183	BLUE	1.8m x 30m	30	200	90%	$\checkmark$	\$220
SCM-S9-GN183	GREEN						
SCM-S9-BK363	BLACK						
SCM-S9-BE363	BLUE	3.6m x 30m	16	200	90%	✓	\$440
SCM-S9-GN363	GREEN						

Start Your Application To Access Trade Pricing Today



## Siteclad™ Quad Net

Siteclad Quad Net is a high-performance containment solution designed for high-wind areas. Its 9mm aperture design maximises wind flow, improving stability and reducing the need for extra wall ties. This enhances safety and stability for construction sites facing challenging wind conditions.

#### Maximum Wind Flow, Minimised Risk.



Scan to learn more about Quad Net




#### **PRODUCT USES**


- Scaffold Containment in High-Wind Areas
- **Debris Containment**
- **On-Roof Edge Protection**
- **Non-Structural Applications**


#### **PRODUCT FEATURES**

- AS1576.7 Certified
- FlameX Fire Retardant
- **UV Stabilised for Durability**
- 9mm Apertures for Reduced Wind-loading
- 25mm Double Woven Bands for Durability
- Custom Sizes to Suit Projects of Scale
- 10 Year Pro-rata Warranty










# 5 % Wind Load Reduction On Scaffolding<sup>1</sup>

## Quad Net Outperformed In Wind-Tunnel Testing

Siteclad Quad Net is the ultimate containment solution for construction sites in high-wind areas. Engineered for resilience, it has been rigorously wind-tunnel tested, achieving a 55% reduction in wind loading compared to other composite mesh products<sup>1</sup>.

This superior performance ensures safety and stability for structures, equipment, and personnel in challenging conditions, making Quad Net a dependable choice for maintaining site integrity and meeting compliance standards, even in the most demanding environments.



#### 9mm Apertures

Large apertures allow greater wind flow, effectively reducing wind load on scaffolding.



COEFFICIENT

#### **CONSOLIDATED WIND LOAD TEST RESULTS**

CONSOLIDATED WIND LOAD TEST RESULTS		WORST-CASE 'DRY' & 'WET' ± ANGLE		
PRODUCTS TESTED	SOLIDITY	0°	± 30°	
<sup>1</sup> Spidermesh/Scaffmesh with Siteclad Quad Net Lining	31.9%	0.37	0.52	
<sup>2</sup> Spidermesh/Scaffmesh with 50% Siteclad Shade Cloth (1000kPa)	56.6%	0.62	0.76	
<sup>3</sup> Composite Mesh	64.1%	0.82	1.03	

Table adapted from Sun, Georgiou & Al-Khalidy (2019a; 2019b; 2019c). Contact us to request a copy of our comprehensive testing reports.

15un, J., Georgiou, P. & Al-Khalidy, N., 2019a, "Scaffold mesh – wind rating, Spidermesh Quad Net Lining (SQN2)", SLR Consulting Australia Pty Ltd, v1.0, Ref. 610.18290-R02 SQN2, pp.1-11.
25un, J., Georgiou, P. & Al-Khalidy, N., 2019b, "Scaffold mesh – wind rating, Scaffmesh 1000kPa lining (S50sh)", SLR Consulting Australia Pty Ltd, v1.0, Ref. 610.18290-R02 S50SH, pp.1-10.
35un, J., Georgiou, P. & Al-Khalidy, N., 2019c, "Scaffold mesh – wind rating, Lytamesh (LMesh)", SLR Consulting Australia Pty Ltd, v1.0, Ref. 610.18290-R02-v1.0, pp.1-10.



## Flame Retardant & AS1576.7 Certified

FlameX Siteclad Quad Net meets AS1576.7 standards for non-structural scaffolding applications and structural applications when combined with Scaffmesh™ premium chainwire, delivering nationwide safety compliance.



Download our data sheets online or request a copy of our comprehensive testing reports by contacting our team on 1800 007 557 or emailing sales@sitemax.com.au.

#### FLAMMABILITY INDEX RATING

BEST	0	
	1	FLAMEX SITECLAD QUAD NET   150gsm
	2	
	3	
TNAI	4	
AS1576.7 & AS1530.2 COMPLIANT	5	
30.2 0	6	
k AS15	7	
76.7 8	8	
AS15	9	
	10	
	20	
	25	
ANT	40	
NON-COMPLIANT	60	
NON	80	
WORST	100	



#### FLAMEX SITECLAD QUAD NET | 150gsm



I have been designing scaffold systems for over 26 years and have never had specific data on wind performance for cladding. Now, thanks to Sitemax, I can access reliable wind performance data for all the scaffold cladding products they test and supply.

Notably, Sitemax's Spidermesh is a standout. When combined with Siteclad Quad Net, Spidermesh provides a lightweight cladding system with substantially reduced wind drag that complies with Workplace Health and Safety (WHS) regulations for allowable aperture size. Since learning about **Spidermesh with Siteclad Quad Net**, I have specified this product for use as it complies with WHS standards and dramatically increases scaffold safety, stability, and reliability, especially for scaffold structures erected in wind-affected areas.

#### **Justin Smith | Construc**

All testing reports shown in this product guide are partial samples only, contact us to access complete testing reports.

## SITECLAD QUAD NET PRODUCT RANGE

SKU COLOUR	SIZE	PALLET QTY	GSM	FLAME RETARDANT	UNIT RRP
------------	------	------------	-----	--------------------	----------

#### **FLAMEX SITECLAD™ QUAD NET**

SCM-FQ1-BK09	BLACK					
SCM-FQ1-BE09	BLUE	0.9m x 50m			flame	\$240
SCM-FQ1-RD09	RED		20	150		
SCM-FQ1-BK18	BLACK		20	150		
SCM-FQ1-BE18	BLUE	1.8m x 50m			flame	\$390
SCM-FQ1-RD18	RED					



## **SPIDERMESH™**

Spidermesh is a patented containment mesh manufactured from recycled Australian steel for durability and easy installation. Its sealed-edge design prevents tangling, ensuring smooth handling that saves time on-site. Fully customisable in size, colour, and grade, Spidermesh meets all Australian standards.

#### **Containment Beyond Compliance.**







#### **PRODUCT USES**

- ✓ Structural Dust & Debris Containment
- ✓ Structural Applications
- Structural Dust Containment with Scafclad
- ✓ Structural Paint Containment with Scafclad
- ✓ Quad Net Lining For High-Wind Areas

#### **PRODUCT FEATURES**

- ✓ AS1576.7 Certified
- ✓ FlameX Fire Retardant
- ✓ Patented Tangle-Free Design For Easy Installs
- ✓ In-House Digital Print Options for Site Branding
- ✓ All Linings UV Stabilised for Longevity
- ✓ Reusable Chainwire & Replaceable Linings
- ✓ HT Chainwire Manufactured By Sitemax
- ✓ Chainwire Made From Recycled Australian Steel
- √ 10 Year Pro-rata Warranty on Siteclad Linings



## Simple Innovation That Saves You Time & Money

Spidermesh chainwire is sealed across the top and bottom edge of each roll using a UV stabilised banner mesh material. This patented design prevents tangling to ensure on-site installation is easy and efficient. Spidermesh lining is also replaceable, allowing chainwire to be reused time and time again across projects.


Spidermesh Patent No. 2019100492 Spidermesh Quad Net Patent No. 2018203989



## **Customise Spidermesh Lining To Suit** Your Project Requirements.

Spidermesh is proudly made in-house by our dedicated team, ensuring strict quality control and easy customisation. Designed to pair seamlessly with various linings, Spidermesh can be customised to suit your project requirements without compromising structural integrity or safety compliance.

#### FLAMEX SITECLAD QUAD NET LINING | HIGH-WIND AREAS



#### **50% OR 70% FLAMEX SITECLAD LINING | CONTAINMENT**



#### FLAMEX SCAFCLAD SUPER LINING | ENVIRONMENTAL PROTECTION



#### FLAMEX BANNER MESH CUSTOM PRINTED LINING | SITE BRANDING







## Safety Compliance You Can Count On.

## Flame Retardant & AS1576.7 Certified


All **Spidermesh containment mesh and FlameX lining** options are engineered to meet and exceed the rigorous requirements of AS1576.7 standards. This ensures full compliance with Australian safety regulations for structural applications, providing a dependable solution for certified scaffold containment.

**Spidermesh FlameX** products adhere to AS1576.7 standards and meet all state, territory, and national safety requirements, making Spidermesh a trusted choice for projects where safety and reliability are paramount.



Download our data sheets online or request a copy of our comprehensive testing reports by contacting our team on 1800 007 557 or emailing sales@sitemax.com.au.

#### **FLAMMABILITY INDEX RATING**









70% FLAMEX SITECLAD | 170gsm




FLAMEX SITECLAD QUAD NET | 150GSM

All testing reports shown in this product guide are partial samples only, contact us to access complete testing reports.





FLAMEX MAXFLOW MESH | 180GSM



SCAFCLAD SUPER FLAMEX | 230GSM



**BE CERTAIN YOU ARE TOO.** 



Set Up Your Trade Account with Sitemax Today.

Scan the QR Code or visit sitemax.com.au/trade-account



## Spidermesh Sustainability







## Reusable, Recyclable, and Made In Australia

We demonstrate our commitment to sustainability and quality by using recycled Australian steel for all hightensile Spidermesh and Scaffmesh chainwire produced at our manufacturing facility in Australia. Our approach supports local industries, reduces emissions, and delivers strong, reliable containment materials that our customers trust.

Designed for reuse, Spidermesh is cost-effective and eco-friendly, withstanding multiple uses before shadecloth linings require replacement. At the end of its life, both Spidermesh and Scaffmesh chainwire can be recycled, offering an eco-friendly solution that helps our customers reach their Environmental, Social and Governance (ESG) targets.



We were initially skeptical about Spidermesh, as it resembled traditional chain and shade, but the results exceeded our expectations.

The simple innovation of securing the top and bottom of the chain seemed too simple to make a difference, but in practice it prevented the rolls from tangling and made them easier to roll up. We've been able to get 4–5 uses out of a Spidermesh roll before needing to replace the shadecloth lining, so it's costeffective because the chain stays intact for longer and is much easier to handle.

Spidermesh provides reassurance too as it's fire-rated and compliant with all standards - it's also durable against other trades, and it looks great!



Adam Young Safe Guard Formwork

### **SPIDERMESH PRODUCT RANGE**

SKU	COLOUR	SIZE	PALLET QTY	GSM	FLAME RETARDANT	UNIT RRP
SPIDERMESH™ CHAIN	IWIRE - NO LINING	6				
SCEHN0910NL		0.9m x 10m	20			\$122
SCEHN1910NL	-	1.9m x 10m	20	-	$\checkmark$	\$183
SCEHN2710NL		2.7m x 10m	20			\$275

#### SPIDERMESH™ WITH PREMIUM 50% FLAMEX SITECLAD SHADE CLOTH LINING

SCEHP0910BK	BLACK					
SCEHP0910BE	BLUE					\$150
SCEHP0910GN	GREEN					
SCEHP0910RD	RED	0.9m x 10m		120	flame	
SCEHP0910E	ORANGE	0.9111 x 10111	20	120	rtaine	
SCEHP0910YW	YELLOW					
SCEHP0910BG	BEIGE					
SCEHP0910WE	WHITE					
SCEHP1910BK	BLACK					\$225
SCEHP1910BE	BLUE					
SCEHP1910GN	GREEN	1.9m x 10m				
SCEHP1910RD	RED		20	120	flame	
SCEHP1910E	ORANGE	1.9111 x 10111	20	120		
SCEHP1910YW	YELLOW					
SCEHP1910BG	BEIGE					
SCEHP1910WE	WHITE					
SCEHP2710BK	BLACK					
SCEHP2710BE	BLUE					
SCEHP2710GN	GREEN					
SCEHP2710RD	RED	2.7m x 10m	20	120	flame	\$338
SCEHP2710E	ORANGE	Z./III X TUM	20	120	rtaine //	\$338
SCEHP2710YW	YELLOW					
SCEHP2710BG	BEIGE					
SCEHP2710WE	WHITE					

### SPIDERMESH PRODUCT RANGE

SKU	COLOUR	SIZE	PALLET QTY	GSM	FLAME RETARDANT	UNIT RRP	
-----	--------	------	------------	-----	--------------------	----------	--

#### SPIDERMESH™ WITH PREMIUM 70% FLAMEX SITECLAD SHADE CLOTH LINING

		0.9m x 10m	20			
CUSTOM	ANY COLOUR FROM 70% SITECLAD SHADE CLOTH RANGE	1.9m x 10m	20	170	flame	CUSTOM QUOTE
		2.7m x 10m	20			

#### SPIDERMESH™ WITH FLAMEX SITECLAD QUAD NET LINING

SCEHQ0910BK	BLACK					
SCEHQ0910BE	BLUE	0.9m x 10m	20	150	flame	\$177
SCEHQ0910RD	RED					
SCEHQ1910BK	BLACK	1.9m x 10m	20	150	flame <b>)</b>	\$265
SCEHQ1910BE	BLUE					
SCEHQ1910RD	RED					
SCEHQ2710BK	BLACK					
SCEHQ2710BE	BLUE	2.7m x 10m	20	150	flame	\$398
SCEHQ2710RD	RED					

#### SPIDERMESH™ WITH SCAFCLAD SUPER FLAMEX HEAVY-DUTY LINING

SCEHP1910SCP-F26	WHITE	1.9m x 10m	20	230	flame	\$399
------------------	-------	------------	----	-----	-------	-------

Spidermesh with Scafclad Super FlameX HD Lining meets and exceeds burst pressure requirements outlined in Section 315D of the QLD Govt. WHS Act 2011 and is AS1576.7 Certified for safe use and structural applications on scaffolding. Contact us for more information.


## **SPIDERMESH | CUSTOM DIGITAL PRINT**

SKU COLOUR SIZE PALLET QTY GSM FLAME UNIT RRP

#### SPIDERMESH™ WITH FLAMEX MAXFLOW MESH BANNER LINING | CUSTOM DIGITAL PRINT

		0.9m x 10m	15			
CUSTOM	WHITE MEDIA Open Weave	1.9m x 10m	15	180	flame	CUSTOM QUOTE
		2.7m x 10m	15			

For custom digital print banner mesh and temporary fencing signage, see pg.79 of this product guide.



## **SCAFFMESH™** Chain & Shade

Scaffmesh chain and shade integrates durable chainwire mesh with Siteclad shade cloth or Quad Net lining to deliver safe, secure scaffold containment. Designed for structural applications, all FlameX fire-retardant Scaffmesh products are AS1576.7 certified and meet relevant health and safety standards.

#### Built For Strength, Designed For Safety.







#### **PRODUCT USES**

- ✓ Structural Dust & Debris Containment
- ✓ Structural Applications
- ✓ Structural Dust Containment with Scafclad
- ✓ Structural Paint Containment with Scafclad
- ✓ Quad Net Lining For High-Wind Areas

#### **PRODUCT FEATURES**

- ✓ AS1576.7 Certified
- ✓ FlameX Fire Retardant
- ✓ In-House Digital Print Options for Site Branding
- ✓ All Linings UV Stabilised for Longevity
- ✓ HT Chainwire Manufactured By Sitemax
- ✓ Made From Galvanised Recycled Australian Steel
- √ 10 Year Pro-rata Warranty on Siteclad Linings



## Quality & Compliance You Can Count On.

#### **QLD & NATIONAL SAFETY COMPLIANCE**

All **High Tensile (HT) Scaffmesh** chainwire is made from galvanised recycled Australian steel at our manufacturing facility in Queensland. FlameX fire-retardant and AS1576.7 certified, HT Scaffmesh chain and shade products exceed burst pressure standards in Section 315D of the QLD WHS Act 2011 and comply with all relevant state, territory and national safety regulations.


#### **NSW SAFETY COMPLIANCE**

**Scaffmesh** chain and shade products are FlameX fire retardant and AS1576.7 certified in compliance with SafeWork NSW state health and safety regulations.

## **Customise Scaffmesh Lining To Suit** Your Project Requirements.

Our extensive range of Scaffmesh chainwire and linings can be customised to suit your project needs, whether you require structural cladding for environmental protection, debris containment in high-wind areas, or printed mesh to build your brand - we've got your project covered.

#### FLAMEX SITECLAD QUAD NET LINING | HIGH-WIND AREAS



#### 30%, 50% OR 70% FLAMEX SITECLAD LINING | CONTAINMENT



#### FLAMEX SCAFCLAD SUPER LINING | ENVIRONMENTAL PROTECTION



#### FLAMEX BANNER MESH CUSTOM PRINTED LINING | SITE BRANDING







# Safety Beyond Compliance.

## Flame Retardant & AS1576.7 Certified

All Scaffmesh containment mesh and FlameX lining options are AS1576.7 certified for safe use on scaffolding and structural applications nationwide.


All High Tensile (HT) Premium Scaffmesh FlameX chainwire and linings exceed QLD WHS bursting pressure requirements and can be used nationwide.

All Premium and Standard Scaffmesh FlameX chainwire and linings comply with SafeWork NSW safety regulations and are suitable for use in NSW only.



Download our data sheets online or request a copy of our comprehensive testing reports by contacting our team on 1800 007 557 or emailing sales@sitemax.com.au.

#### **FLAMMABILITY INDEX RATING**







50% FLAMEX SITECLAD | 120GSM



**30% FLAMEX SITECLAD | 80GSM** Standard Scaffmesh | NSW Only



#### 70% FLAMEX SITECLAD | 170GSM



SCAFCLAD SUPER FLAMEX | 230GSM




#### SITECLAD FLAMEX QUAD NET | 150GSM



FLAMEX MAXFLOW MESH | 180GSM

All testing reports shown in this product guide are partial samples only, please email sales@sitemax.com.au to a request a copy of our comprehensive testing reports.

## **SCAFFMESH | Completed Projects**











## **HIGH TENSILE (HT) SCAFFMESH PRODUCT RANGE**

#### **QUEENSLAND / NATIONAL SAFETY COMPLIANT**

SKU	COLOUR	SIZE	PALLET QTY	GSM	FLAME RETARDANT	UNIT RRP
HT SCAFFMESH™ CHA	AINWIRE   QLD CO	MPLIANT - NO LIN	ING			
SCCHN0910NL		0.9m x 10m	20			\$73
SCCHN1810NL	-	1.8m x 10m	20	-	$\checkmark$	\$110
SCCHN2710NL		2.7m x 10m	20			\$165

#### HT SCAFFMESH™ WITH PREMIUM 50% FLAMEX SITECLAD SHADE CLOTH LINING

HI SCAFFMESH" WI	IH PREMIUM 50%	FLAMEX SITEULAI	D SHADE CL	UIH LINING	7	
SCCHP0910BK	BLACK					
SCCHP0910BE	BLUE					
SCCHP0910GN	GREEN					
SCCHP0910RD	RED	0.0 m v 10 m	20	120	flame	\$98
SCCHP09100E	ORANGE	0.9m x 10m	20	120	reame	290
SCCHP0910YW	YELLOW					
SCCHP0910BG	BEIGE					
SCCHP0910WE	WHITE					
SCCHP1810BK	BLACK					
SCCHP1810BE	BLUE	1.8m x 10m				
SCCHP1810GN	GREEN					
SCCHP1810RD	RED		20	120	flame	\$146
SCCHP1810OE	ORANGE		20	120	reame	\$140
SCCHP1810YW	YELLOW					
SCCHP1810BG	BEIGE					
SCCHP1810WE	WHITE					
SCCHP2710BK	BLACK					
SCCHP2710BE	BLUE					
SCCHP2710GN	GREEN					
SCCHP2710RD	RED	2.7m x 10m	20	120	flame	\$219
SCCHP27100E	ORANGE	Z./III X TUIII	20	120	realite ///	3219
SCCHP2710YW	YELLOW					
SCCHP2710BG	BEIGE					
SCCHP2710WE	WHITE					

## **HIGH TENSILE (HT) SCAFFMESH PRODUCT RANGE**

#### **QUEENSLAND / NATIONAL SAFETY COMPLIANT**

SKU COLOUR SIZE PALLET QTY GSM FLAME RETARDANT UNIT	
---	--

#### HT SCAFFMESH™ WITH PREMIUM 70% FLAMEX SITECLAD SHADE CLOTH LINING

		0.9m x 10m	20			
CUSTOM	ANY COLOUR FROM 70% SITECLAD SHADE CLOTH RANGE	1.8m x 10m	20	170	flame	CUSTOM QUOTE
		2.7m x 10m	20			

#### HT SCAFFMESH™ WITH FLAMEX SITECLAD QUAD NET LINING

HI SCAFFMESH W	IIIII LAMEX SITEC	LAD QUAD NET EII	11110			
SCCHQ0910BK	BLACK					
SCCHQ0910BE	BLUE	0.9m x 10m	20	150	flame	\$124
SCCHQ0910RD	RED					
SCCHQ1810BK	BLACK					
SCCHQ1810BE	BLUE	1.8m x 10m	20	150	flame	\$186
SCCHQ1810RD	RED					
SCCHQ2710BK	BLACK					
SCCHQ2710BE	BLUE	2.7m x 10m	20	150	flame	\$279
SCCHQ2710RD	RED					

#### HT SCAFFMESH™ WITH SCAFCLAD SUPER FLAMEX HEAVY-DUTY LINING

Scaffmesh with Scafclad Super FlameX HD Lining meets and exceeds burst pressure requirements outlined in Section 315D of the QLD Govt. WHS Act 2011 and is AS1576.7 Certified for safe use and structural applications on scaffolding. Contact us for more information.

### **SCAFFMESH | CUSTOM DIGITAL PRINT**

STATE OF THE STATE	SKU	COLOUR	SIZE	PALLET QTY	GSM	FLAME RETARDANT	UNIT RRP
--	-----	--------	------	------------	-----	--------------------	----------

#### **QLD/NATIONAL SAFETY COMPLIANT**

#### HT SCAFFMESH™ WITH FLAMEX MAXFLOW MESH LINING | CUSTOM DIGITAL PRINT

		0.9m x 10m	20			
CUSTOM WHITE MEDIA Open Weave		1.8m x 10m	20	180 <b>f</b> l	flame	e) CUSTOM QUOTE
	2.7m x 10m	20				

#### **NSW SAFETY COMPLIANT**

#### SCAFFMESH™ WITH FLAMEX MAXFLOW MESH LINING | CUSTOM DIGITAL PRINT

		1.8m x 7.5m	24			
CUSTOM	WHITE MEDIA  Open Weave	1.8m x 10m	15	180	flame	CUSTOM QUOTE
G-5.1.103.		1.8m x 15m	12			

For custom digital print banner mesh and temporary fencing signage, see pg.79 of this product guide.



### **SCAFFMESH PRODUCT RANGE**

#### **NEW SOUTH WALES (NSW) SAFETY COMPLIANT**

SKU	COLOUR	SIZE	PALLET QTY	GSM	FLAME RETARDANT	UNIT RRP
SCAFFMESH™ CHAIN	WIRE - NO LINING					
SCCNN0915NL		0.9m x 15m	15			\$115
SCCNN1875NL		1.8m x 7.5m	24			\$80
SCCNN1810NL	-	1.8m x 10m	20	-	<b>~</b>	\$95
SCCNN1815NL		1.8m x 15m	15			\$119

#### SCAFFMESH™ WITH STANDARD 30% FLAMEX SITECLAD SHADE CLOTH LINING

	1					
SCCNS0915BK	BLACK					
SCCNS0915BE	BLUE	0.9m x 15m	15	80	flame	\$94
SCCNS0915LG	LIGHT GREEN					
SCCNS1875BK	BLACK					
SCCNS1875BE	BLUE	1.8m x 7.5m	24	80	flame	\$94
SCCNS1875LG	LIGHT GREEN					
SCCNS1810BK	BLACK					
SCCNS1810BE	BLUE	1.8m x 10m	20	80	flame	\$113
SCCNS1810LG	LIGHT GREEN					
SCCNS1815BK	BLACK					
SCCNS1815BE	BLUE	1.8m x 15m	15	80	flame	\$141
SCCNS1815LG	LIGHT GREEN					

Scaffmesh with Standard 30% FlameX Siteclad Shade Cloth lining is AS1576.7 **certified for structural applications and safe scaffolding use in New South Wales (NSW) only**, it does not comply with Queensland WHS burst pressure requirements. Contact us for more information.

### **SCAFFMESH PRODUCT RANGE**

#### **NEW SOUTH WALES (NSW) SAFETY COMPLIANT**

sku	COLOUR	SIZE	PALLET QTY	GSM	FLAME RETARDANT	UNIT RRP
SCAFFMESH™ WITH F	PREMIUM 50% FLA	AMEX SITECLAD S	HADE CLOT	H LINING		
SCCNP0915BK	BLACK					
SCCNP0915BE	BLUE					
SCCNP0915GN	GREEN					
SCCNP0915RD	RED	0.9m x 15m	12	420	flame	\$103
SCCNP09150E	ORANGE	0.9111 x 13111	12	120	reame	\$103
SCCNP0915YW	YELLOW					
SCCNP0915BG	BEIGE					
SCCNP0915WE	WHITE					
SCCNP1875BK	BLACK					
SCCNP1875BE	BLUE	1.8m x 7.5m				
SCCNP1875GN	GREEN			120	flame	
SCCNP1875RD	RED		24			\$103
SCCNP1875OE	ORANGE					\$103
SCCNP1875YW	YELLOW					
SCCNP1875BG	BEIGE					
SCCNP1875WE	WHITE					
SCCNP1810BK	BLACK			120	flame∭	
SCCNP1810BE	BLUE					
SCCNP1810GN	GREEN					
SCCNP1810RD	RED	1.8m x 10m	20			\$124
SCCNP18100E	ORANGE	1.0111 × 10111	20	120	rediffe	\$124
SCCNP1810YW	YELLOW					
SCCNP1810BG	BEIGE					
SCCNP1810WE	WHITE					
SCCNP1815BK	BLACK					
SCCNP1815BE	BLUE					
SCCNP1815GN	GREEN					
SCCNP1815RD	RED	1.8m x 15m	12	120	flame	\$155
SCCNP1815OE	ORANGE	1.0111 X 1.0111	12	120	reame	\$133
SCCNP1815YW	YELLOW					
SCCNP1815BG	BEIGE					
SCCNP1815WE	WHITE					

## **SCAFFMESH PRODUCT RANGE**

#### **NEW SOUTH WALES (NSW) SAFETY COMPLIANT**

SKU	COLOUR	SIZE	PALLET QTY	GSM	FLAME RETARDANT	UNIT RRP
SCAFFMESH™ WITH F	PREMIUM 70% FLA	MEX SITECLAD S	HADE CLOT	H LINING		
		0.9m x 15m	12			
CUSTOM	ANY COLOUR FROM 70%	1.8m x 7.5m	24	170	flame	CUSTOM
COSTOM	SITECLAD SHADE CLOTH RANGE	1.8m x 10m	20	170	reame	QUOTE
		1.8m x 15m	12			

#### SCAFFMESH™ WITH FLAMEX SITECLAD QUAD NET LINING

		•				
SCCNQ0915BK	BLACK					
SCCNQ0915BE	BLUE	0.9m x 15m	12	150	flame	\$131
SCCNQ0915RD	RED					
SCCNQ1875BK	BLACK					
SCCNQ1875BE	BLUE	1.8m x 7.5m	24	150	flame	\$131
SCCNQ1875RD	RED					
SCCNQ1810BK	BLACK					
SCCNQ1810BE	BLUE	1.8m x 10m	20	150	flame	\$157
SCCNQ1810RD	RED					
SCCNQ1815BK	BLACK					
SCCNQ1815BE	BLUE	1.8m x 15m	12	150	flame	\$196
SCCNQ1815RD	RED					

### **C-CLIP TOOLS AND FASTENERS**

#### FOR SECURING REPLACEMENT SITECLAD LINING TO SPIDERMESH OR SCAFFMESH

PRODUCT IMAGE	DESCRIPTION	SKU	SIZE	PKT QTY	CTN QTY	RRP
	18V Battery Powered C-Clip Gun	SCF009	360mm (L) 280mm (W) 270mm (H)	1	224	\$3,240
C RINGS 10,000 FINES 15,0007 SERIES 1	Packet of Galvanised C-Clip Ring Fasteners For 18V Battery Powered C-Clip Gun	SCF017	1.8mm x 24mm	10,000		\$190



The Safest Containment Has The Strongest Hold.

#### J-HOOKS | CONTAINMENT MESH FIXINGS

- ✓ AS1576.7 Certified
- ✓ Meets & Exceeds Australian Standards
- ✓ Australian Made From Recycled Steel
- UV Stabilised & Rust Resistant
- ✓ Patented Design | 2021105460




Scan to learn more about J-Hooks






#### STEP 1

Poke the short tail of the J-Hook through containment mesh, ensuring it goes over the top side of the scaffold ledger.




#### STEP 2

Holding the long tail of the J-Hook, maneuverer the short tail around scaffold ledger and push its end point back through the mesh on the underside of the ledger.



#### STEP 3

Cross short and long tails of the J-Hook over each other and twist together three times, completing 1.5 full revolutions to tighten and secure mesh to scaffold ledger.



#### STEP 4

Push tail ends of the J-Hook back through the mesh and above the scaffold ledger, securing in place to prevent exposed wires from causing potential injury.

PRODUCT IMAGE	DESCRIPTION	SKU	SIZE	PKT QTY	CTN QTY	RRP
	SITEMAX J-HOOKS  Steel fixings for securing containment mesh to scaffolding	SCF025	2.24mm x 60mm x 240mm	100	10	\$17

## **GRIPCLAD** Ground Cover Protection

Gripclad reusable matting offers reliable ground cover and gridmesh protection, reducing hazards from dropped objects while providing a secure, non-slip surface for workers at any height. Easy to install, Gripclad products provide a safer, cost-effective alternative to traditional shade cloth for ground protection. Gripclad Geofabric is also available for ground and soil protection.

## **GRIPCLAD PVC COATED GROUND COVER Ground Cover & Gridmesh Protection** AS1530.3 Certified & Flame Retardant **HD Ripstop PVC Coated Polyester Material** Safe Non-Slip Surface **GRIPCLAD LLDPE GROUND COVER Ground Cover & Gridmesh Protection** Flame Retardant & Waterproof **Surface Protection** Single-sided Non-Slip Textured Finish **GRIPCLAD GEOFABRIC Ground/Soil Protection Surface Protection**



SAMPLE IMAGE	SKU	COLOUR	SIZE	GSM	FLAME RETARDANT	UNIT RRP
GRIPCLAD NON-SLIP	RIPSTOP PVC COAT	ED POLYESTER	MESH MATTIN	NG		
	SCG-PPVC-18726	GREY	1.87m x 26m	430		CUSTOM
	SCG-PPVCH-18726	GREY	1.87m x 26m	530	•	QUOTE
GRIPCLAD LLDPE GR	OUND PROTECTION	NON-SLIP TE	XTURE ON ONE	SIDE		
	SCG-LLDPE-2930-W	BLACK	2.9m x 30m			CUSTOM
	SCG-LLDPE-5830-W	BLACK	5.8m x 30m	_	•	QUOTE
GRIPCLAD GEOFABRI	C ENVIRONMENTAL	<b>GROUND AND</b>	SOIL PROTECT	ION		
	SCG-G12250	BLACK	2m x 50m	120	-	\$260 p/roll

## **Composite Mesh**

We offer a range of composite mesh products reinforced with polyester, fiberglass, or steel strands for added strength and flexibility. Suitable for various construction and industrial applications, composite mesh can be used for scaffold containment, roof handrails, erosion control, as a protective covering or site barrier.

PRODUCT IMAGE SKU	DESCRIPTION	SIZE	PALLET QTY	UNIT RRP
-------------------	-------------	------	---------------	----------

#### DYNAMESH | FLAME RETARDANT MESH WITH FIBREGLASS REINFORCEMENT

SCL-FD-BE0910	DITIE	0.9m x 10m	20	сиѕтом
SCL-FD-BE1910	BLUE	1.9m x 10m	30	QUOTE

#### UNI-MESH | FLAME RETARDANT MESH WITH STEEL STRAND REINFORCEMENT



#### **CONSTRUCTAMESH | FLAME RETARDANT HDPE TEXTILE MESH**

	SCL-FC-BK1915	BLACK	1.9m x 15m	30	CUSTOM QUOTE
--	---------------	-------	------------	----	-----------------


PRODUCT IMAGE	SKU	DESCRIPTION	SIZE	PALLET QTY	UNIT RRP
---------------	-----	-------------	------	---------------	----------

#### LYTA MESH | FLAME RETARDANT MESH WITH POLYESTER REINFORCEMENT



SCL-FL-BE0915	BLUE	0.9m x 15m	44	\$240
SCL-FL-BK0915	BLACK	0.9111 × 15111	77	3240
SCL-FL-BE1215	<b>BLUE</b> For Roof Handrails	1.2m x 15m	44	\$400
SCL-FL-BE1915	BLUE			
SCL-FL-BK1915	BLACK	1.9m x 15m	44	\$400
SCL-FL-BG1915	BEIGE			

#### LYTA GRID | FLAME RETARDANT MESH WITH POLYESTER REINFORCEMENT



SCL-FL-G1915 BLUE 1.9m x 15m 44 \$380

#### LYTA GRID WITH CUSTOM PRINTED SELECT OR MAXFLOW BANNER MESH LINING



SCL-FL-G1915CP-FSE

Custom Printed
flame
Select Mesh
Stitched to Blue
Lyta Grid

1.9m x 15m

\$770





SCL-FL-G1915CP-FMA

Custom Printed
flame
Maxflow Mesh
Stitched to Blue
Lyta Grid

1.9m x 15m

\$735

#### LYTA POWER SAFE | FLAME RETARDANT PANELS | NSW ONLY



SCL-PL-OE2010	ORANGE	1m x 2m	-	\$97
SSM105	Lyta Power Safe Handover Certificate	-	-	\$2.60
SVL200-3C	WARNING ELECTRICAL HAZARD ON THE OTHER SIDE OF THIS SAFETY BARRIER	600mm x 450m 3mm Corflute	-	\$16.30

LYTA POWER SAFE PANELS ARE APPROVED FOR USE IN NSW ONLY. NOT TO BE USED NEAR VOLTAGE EXCEEDING 1000V.

## **COMPOSITE MESH FIXINGS**

PRODUCT IMAGE	DESCRIPTION	SKU	SIZE	PKT QTY	CTN QTY	RRP
	SITEMAX J-HOOKS  Steel fixings for securing containment mesh to scaffolding	SCF025	2.24mm x 60mm x 240mm	100	10	\$17
Kwikar B	Bucket of Kwikaz Clips	SCF022	48.3mm Clip	500		\$325
	<b>Kwikaz Driver</b> Installation tool for Kwikaz Clips	SCF020	25mm x 55mm x 135mm	1		\$34
	<b>Kwikaz Safety Caps</b> Protective Caps for  Kwikaz Clips	SCF021	20mm x 20mm x 80mm	50		\$85
	<b>Kwikaz Gripz</b> Reusable Rubber Straps for Kwikaz Clips	SCF018	20mm x 70mm x 1mm	50		\$36
	<b>Sitemax</b> <b>Black Tie Wire</b> Belt Pack Roll	SCF067	1.57mm x 95m	1		\$7
	Sitemax	SCF031	1.6mm x 1,000m	1		\$340
	Galvanised Steel Lashing Wire SCF	SCF032	2mm x 1,000m	1		\$366

For all Sitemax Cable Ties, see pg.12 of this product guide.

## **Scaffolding Products**

We provide a comprehensive selection of scaffolding products, including steel mesh, plywood, and scaffolding safety accessories. If you don't see what you're looking for, reach out to our Customer Happiness Team—they'll go above and beyond to source it for you or suggest where to find it.

Email your enquiry to sales@sitemax.com.au

### **MULTI-PURPOSE MESH**

PRODUCT IMAGE	SKU	SIZE	РКТ ОТҮ	UNIT RRP
GALVANISED STEEL MESH				
	SCL-SM-0930	<b>0.9m x 30m</b> 12.7mm x 12.7mm x 1.24mm	1	\$350
	SCL-SM-1230	<b>1.2m x 30m</b> 12.7mm x 12.7mm x 1.24mm	1	\$450

### STRUCTURAL PLYWOOD

PRODUCT IMAGE	SKU	SIZE	PKT QTY	UNIT RRP
CD F14 GRADE STRUCTURAL PLYWO	OOD SHEETS			
Shipping Marks 200 170 120 120 120 120 120 120 120 120 120 12	SAB8517F14	1200mm x 2400mm 17mm Thick	54	\$112

Shipping Marss.  Marss.	SAB8517F14	1200mm x 2400mm 17mm Thick	54	\$112
	SAB8519F14	1200mm x 2400mm 19mm Thick	48	\$130

# **SCAFFOLD PROTECTION AND FASTENERS**

PRODUCT IMAGE	DESCRIPTION	SKU	SIZE	PKT QTY	RRP
	Standard Scaffpad	SSS250	240mm x 100mm x 50mm	1	\$42
Scaffpart	Reflective Scaffpad	SSS251	240mm x 100mm x 50mm	1	\$43
	Double Scaffpad	SSS252	240mm x 200mm x 50mm	1	\$65
	1m Long Scaffpad	SSS253	240mm x 1000mm x 50mm	1	\$170
	Flexible Scaffold Coupler Cover - Orange To fit scaffold couplers	SSS230	55mm x 100mm x 140mm	1	\$5
	Heavy Duty Scaffold Coupler Cover - Yellow To fit scaffold couplers	SSS205YW	90mm x 175mm x 150mm	1	\$18
	Scaffoam	SSS263	1m	1	\$20
	Scarroam	SSS262	2m	1	\$40
	Sitemax Fitting Thread Caps To fit threads on scaffold fittings	SSS221	12mm	1,000	\$280
	Sitemax Tube End / Fitting Caps To fit open ends of scaffolding tubes or threads	SSS210/250	48.3mm	250	\$220
Control of the second of the s	Packet of Reusable Boa Coil Bolts Grade: 5	SAA845	13mm x 100mm	50	\$225
Boa - Coll Supplementary	Packet of Boa Coils Replacement Boa Coils for Boa Coil Bolts	SAA850	13mm x 100mm	100	\$100

# TAPES, BUNTING AND OTHER

PRODUCT IMAGE	DESCRIPTION	SKU	SIZE	PKT QTY	CTN QTY	RRP
	Silver Duct Tape	SSS266	48mm x 30m	1	36	\$2.80
	Blue & White Barrier Tape	SSS055	75mm x 100mm	1	20	\$14
ANGE PONOT ENT	DANGER DO NOT ENTER Red & White Barrier Tape	SSS051	75mm x 100m	1	20	\$30
ANGE	DANGER SCAFFOLD INCOMPLETE DO NOT USE Red & White Barrier Tape	SSS052	75mm x 100m	1	20	\$14
AUT	CAUTION Yellow & Black Barrier Tape	SSS267	50mm x 33m	1	20	\$14
	Yellow Adhesive Reflective Tape - Class 1	SSS313	50mm x 50m	1		\$105
	Yellow/Green Adhesive Reflective Tape - Class 1	SSS312	50mm x 50m	1		\$175
	Standard Hi-Vis Orange Bunting Flags	SSS305	30m	1	20	\$35
	Half Pound BVC Bins	SSS264	90mm x 2m	1		\$24
	Half Round PVC Pipe	SSS265	225mm x 2m	1		\$70
25kg	Bag of Rags Mixed Colour	SSS268	25kg	1		\$50

# **SCAFFOLD SAFETY TAGS**

PRODUCT IMAGE		DESCRIPTION	SKU	SIZE	PKT QTY	CTN QTY	RRP
• A • • •		5545501 DING	SSM911	DL	1		\$28
OS TAMAS OS SAMEROS OS MARIOCANIO OS MARIOCANIO OS MARIOCANIO		SCAFFOLDING INCOMPLETE DO NOT USE	SSM921	А5	1		\$34
Discour	Scaffold Tag Pouch		SSM931	Α4	1		\$43
			SSM931-C	A4	1		\$43
Aparticol Control of the Control of	С	lear Vinyl Pouch	SSM941-C	А3	1		\$60
SCAFFOLD TAG FILE	F	lexible Scaffold Tag Register	SSM851	690mm x 1000mm	1		\$430
STEMAX ANTIHER	Sca	affold Tag Holder	SSM100	90mm x 290mm	1	150	\$9
SCAFFOLD YACK  THE STATE OF THE		FIT FOR USE Scaffold Tag	SSM102	83mm x 200mm	1	20	\$2.60
RELITED		Scaffold Tag ermanent Marker point with quick-dry, waterproof ink	SSM500	.60mm Round Nib	1	12	\$9
COURSE CO	j Kit	Tag Holders		90mm x 290mm	10		
CONTROL OF	Scaffold Tag Kit	Fit For Use Tags	SSM101	83mm x 200mm	20	12	\$123
	Scaf	Permanent Marker		.60mm Round Nib	1		

### **CUSTOM PRINTED SCAFFOLD TAGS AND POUCHES**

PRODUCT IMAGE	DESCRIPTION	SIZE	TYPE	моо оту	RRP
GASCAFFOLD  REPORT AND ADMITTANT AND ADMITTA	Custom Printed UV Stabilised Poly	FLAT 110mm x 600mm	SINGLE USE	200	CUSTOM QUOTE
DO NOT USE SCAFFOLD	Scaffold Tags	FOLDED 110mm x 300mm	MULTI USE	1,000	CUSTOM QUOTE
BOLT Scaffolding		DL		-	
The control of the	Custom Printed Scaffold Tag Pouches	<b>A</b> 5	MULTI USE	-	CUSTOM QUOTE
The state of the s		A4		-	

# **MULTI-PURPOSE CUSTOM PRINTED STICKERS**




ASK OUR TEAM FOR A CUSTOM QUOTE BY EMAILING sales@sitemax.com.au

### **VINYL SAFETY BUNTING**

PRODUCT IMAGE	DESCRIPTION	SKU	SIZE	моо	RRP
EXCLUSION ZONE	EXCLUSION ZONE Printed Solid Vinyl	C23933_1 - 250m	250m Roll	2	\$623
	Alternating Red/White Approx. 400mm spacing between flags	C23933_1 - 500m	500m Roll	2	\$1,125
ACCESS WAY	ACCESS WAY Printed Solid Vinyl	C23934_1 - 250m	250m Roll	2	\$623
	Alternating Green/White Approx. 400mm spacing between flags	C23934_1 - 500m	500m Roll	2	\$1,125
VEHICLE PARKING	VEHICLE PARKING Printed Solid Vinyl	C23932_1 - 250m	250m Roll	2	\$623
	Alternating Blue/White Approx. 400mm spacing between flags	C23932_1 - 500m	500m Roll	2	\$1,125

### **CUSTOM PRINTED VINYL BUNTING**



Minimum Order Quantity (MOQ) for all vinyl bunting can include two rolls of one design or two different designs.



# SIGNAGE **BEYOND EXPECTATIONS**



- **Boundary & Temp Fence Banners**
- Fencing Construction & Banner Signage
- **Temporary Road Signs**
- **Site Building Magnetic Boards**
- **Induction Stickers & First Aid Signs**
- Rigid Way Finding & Safety Signs

- **Custom Printed Containment Mesh**
- **Vehicle Magnets & Stickers**
- **Ground Cover & Silt Control**
- **Teardrop Banners**
- **Hoarding Construction & Signage**
- Free Standing Billboards

- Vinyl Banners & Lenticular Signage
- **Light Boxes & Signage Lighting**
- 3D Bespoke Hoarding Signage
- **Gantry Banners & Signage**
- **Jumpform Signage**
- **Building Wraps & Vinyl Banners**



# SELECT MESH™ AND MAXFLOW MESH™ Premium Banner Mesh

High-Impact Branding For Every Stage Of Construction.





#### **PRODUCT USE**

- ✓ Permanent & Temp Fence Banner Signage
- ✓ Boundary Demarcation
- ✓ Site Branding & Promotional Advertising
- ✓ Building Wraps / Scaffold Containment

#### **SELECT MESH™**


- √ 80% Blockout Close-Knit Weave & UV Stabilised
- ✓ FlameX FR & AS1576.7 Certified Option
- ✓ Best For High-Resolution Printing
- ✓ Reinforced Edge with Eyelets Every 600mm
- ✓ 2 Year Warranty
- ✓ Custom Keder Tape or Rope Edging & Windflaps

#### MAXFLOW MESH™

- √ 60% Blockout Open Weave & UV Stabilised
- ✓ FlameX FR & AS1576.7 Certified Option
- ✓ Quality Print Best For High-Wind Areas
- ✓ Reinforced Edge with Eyelets Every 750mm
- ✓ 2 Year Warranty
- ✓ Custom Keder Tape or Rope Edging & Windflaps

# Guarantee The Perfect Banner Mesh Fit.

Choosing the right banner mesh size ensures optimal performance, durability, easy installation, and a professional site appearance. For a perfect temp fence or scaffolding fit, refer to the size quide below.



Standard Temporary Fence Measurements

SUGGESTED BANNER MESH ROLL SIZES							
1.8m Temp Fence	1.55m x 50m						
2.1m Temp Fence	1.75m x 50m						
Scaffolding	1.8m x 50m						


## **CUSTOM PRINTED BANNER MESH**

SKU	COLOUR	SIZE	PALLET QTY	GSM	FLAME RETARDANT	UNIT RRP	
SELECT MESH™   EDGED AND EYELETED   BEST FOR HIGH-RESOLUTION PRINT							
		0.9m x 50m	30			\$700	
		1.6m x 50m	30			\$875	
CUSTOM	Full Colour Digital Print	1.8m x 50m	30	280	-	\$1,083	
	<b>g</b>	2m x 50m	30			\$1.300	
		3.2m x 50m	20			\$1,949	
FLAMEX SELECT MES	SH™   EDGED AND	EYELETED   BES	ST FOR HIGH	-RESOLUTI	ON PRINT		
		0.9m x 50m	30			\$840	
		1.6m x 50m	30			\$1,050	
CUSTOM	Full Colour Digital Print	1.8m x 50m	30	280	flame	\$1,299	
		2m x 50m	30			\$1,559	
		3.2m x 50m	20			\$2,338	
MAXFLOW MESH™	EDGED AND EYEL	ETED   BEST FOR	R HIGH-WINE	AREAS			
		0.9m x 50m	30	180		\$636	
		1.6m x 50m	30			\$795	
CUSTOM	Full Colour Digital Print	1.8m x 50m	30		-	\$984	
		2m x 50m	30			\$1,181	
		3.2m x 50m	20			\$1,771	
FLAMEX MAXFLOW N	MESH™   EDGED A	ND EYELETED	BEST FOR H	GH-WIND A	REAS		
		0.9m x 50m	30			\$764	
		1.6m x 50m	30			\$955	
CUSTOM	Full Colour Digital Print	1.8m x 50m	30	180	flame	\$1,182	
	_	2m x 50m	30			\$1,418	
		3.2m x 50m	20			\$2,128	
CUSTOM BANNER ME	SH BANNER   ED	GED AND EYELET	ED				
SELECT / MAXFLOW					_		
FLAMEX SELECT / MAXFLOW	Full Colour Digital Print	Custom Size	-	280 / 180	flame	CUSTOM QUOTE	

### **CUSTOM SITE ENTRY BANNER**

SAMPLE IMAGE DESCRIPTION SIZE GSM FR UNIT RRP

### SITE ENTRY BANNER | EDGED AND EYELETED | FULL COLOUR DIGITAL PRINT WITH CUSTOM DETAILS



CUSTOMISE THIS BANNER WITH YOUR LOGO & BUSINESS/SITE & CONTACT INFORMATION | CONTACT US FOR A QUOTE

### **SAFETY BANNER MESH**

SKU	DESCRIPTION	SIZE	PALLET QTY	GSM	FLAME RETARDANT	UNIT RRP
-----	-------------	------	------------	-----	--------------------	----------

**EXCLUSION ZONE BANNER MESH | EDGED AND EYELETED** 

E EXCLU	SION ZONE	EXCLUSI	ON ZONE	EXCL	.USION ZI	ONE E	XCLUSION Z	ONE E
C24009_1	Select N	Лesh					-	\$700
C24010_1	FlameX Sele	ect Mesh	0.9m x 50m	n x 50m 30	30	280	flame	\$840
C24011_1	Maxflow	Mesh	0.0 50			400	-	\$636
C24012_1	FlameX Maxf	low Mesh	0.9m x 50m	1	30	180	flame	\$764

### **ACCESS WAY BANNER MESH | EDGED AND EYELETED**

SS WAY	ACCESS WAY ACC	ESS WAY A	CCESS WAY	ACCE	SS WAY	ACCESS
C24013_1	Select Mesh				-	\$700
C24014_1	FlameX Select Mesh	0.9m x 50m	n 30	280	flame	\$840
C24015_1	Maxflow Mesh		20	400	-	\$636
C24016_1	FlameX Maxflow Mesh	0.9m x 50m	30 180	180	flame	\$764

# Placing Your Order Is Easy.



- Email Your Order Enquiry to sales@sitemax.com.au or Call 1800 007 557
- Our Team Will Respond with a **Quote** for Your Approval
- After We Have **Received Approval To Proceed** With Your Order for

### **Custom Products & Signs**

Artwork is Optimised

Design Proof is Supplied

Design Proof is Approved

Product is Produced & Prepared

### **Standard Products**

Order is Prepared / Produced



Our Team is Available To Assist You From 7am-5pm, Monday to Friday





Want Better Prices & Faster Ordering?

Scan the QR Code To Set Up Your Trade Account Today.

# Strong Fences. Secure Sites.

Our fencing construction services prioritise safety compliance, delivering tailored solutions for short and long-term projects Australia-wide. We install banner mesh and ensure all fences are expertly engineered to accommodate it, providing secure boundaries that enhance site safety and branding.



Scan to learn more about Our Services









### **FULLY ENGINEERED STEEL FENCING**

- ✓ AS1170.2:2011 & AS1725.1:2010
- √ Ideal For Long-term Projects
- ✓ Galvanised Steel Chain Link Fence Mesh
- ✓ Concreted in Galvanised Steel Posts with Bracing
- ✓ Engineering Sign-off Available Upon Completion

#### **SEMI-PERMANENT FENCING**

- ✓ Outperforms & Exceeds AS4687 Requirements
- ✓ Ideal For Short to Medium-term Projects
- ✓ Galvanised Steel Chain Link Fence Mesh
- ✓ Galvanised Steel or Kopper Log Post Options
- ✓ Posts Concreted in with Bracing Every 150m
- ✓ HT Line Barb Wire Height Extension Option

#### **GROUND-PENETRATING TEMP FENCING**

- ✓ Ideal for Short-term Projects in Low-wind Areas
- ✓ Galvanised Steel Chain Link Fence Mesh
- ✓ Ground-driven Galvanised Steel Posts
- √ H-Bracing Reinforcement as Required

#### **BANNER MESH INSTALLATION**

- ✓ Qualified Installation Team
- ✓ Site Inductions for WHS Compliance
- ✓ Site Audit Option for Quoting Accuracy
- ✓ Maintenance & Removal Packages Available

QBCC 15391717 | CONTACT US FOR A QUOTE

# Custom Printed Banner Mesh Completed Projects





Custom Printed Select Mesh Site Entry Banner





# Rigid Safety Signs



PRINTED IN AUSTRALIA



FAST TURNAROUND



CUSTOMISABLE DESIGNS



UV STABILISED



100% RECYCLABLE



TWO YEAR WARRANTY



WE OFFER INSTALLATION



# Recyclable Signs To Support ESG Targets.

Proudly made in Australia from 100% recyclable corflute, polypropylene, aluminium, and galvanised steel, our rigid EnviroSigns are UV-stabilised for durability and printed with eco-friendly water-based latex ink. At project end, we ensure responsible disposal with sign removal and recycling services, helping companies reduce their environmental impact, advance sustainability goals, and strengthen their reputation as responsible organisations.

# Backed By Certifications You Can Trust.

EnviroSigns are printed on HP industrial printers using eco-friendly, UL ECOLOGO® and GREENGUARD GOLD certified water-based latex inks, ensuring compliance with strict health and safety standards while creating a safer working environment.









# **CUSTOM PRINTED SIGNS | SIZE AND PRICE GUIDE**

		MATERIAL		CORFLUTE	POLY	ALUPANEL	ALUMINIUM	METAL
		THICKNESS	3	3mm - 5mm	1.4mm	3mm	1.6mm	0.6mm
		300mm x 225mm		\$8.10	\$14.20	\$20.30	\$26.10	\$23.20
		450mm x 300mm	3mm	\$11.50	\$20.30	\$28.90	\$37.10	\$37.10
10		600mm x 450mm		\$16.30	\$29.00	\$41.20	\$53.00	\$53.00
STANDARD SIZE OPTIONS		600mm x 600mm		\$27.40	\$40.50	\$57.70	\$74.20	\$66.60
IZE OF	RRP	900mm x 600mm		\$38.20	\$56.80	\$80.80	\$103.90	\$103.90
ARD S	UNIT RRP	1200mm x 900mm	Ē	\$68.70	\$102.20	\$145.40	\$187.00	\$187.00
TAND,		1200mm x 1200mm	5mm	\$74.20	\$110.34	\$157.10	\$201.90	\$181.00
S		1800mm x 1200mm		\$103.00	\$153.30	\$218.10	\$280.40	\$280.40
		2400mm x 1200mm		\$123.60	\$183.90	\$261.80	\$336.40	\$336.40
		3600mm x 1500mm		-	-	\$879.70	-	-
	0	Gloss Laminate		-	-	$\checkmark$	✓	✓
	N H	Matte Laminate		-	-	✓	✓	$\checkmark$
	Z	Whiteboard Laminate		-	-	✓	✓	✓
	NA	Reflective		6mm only	-	-	✓	$\checkmark$
	UPTIONAL FINISHES	Magnetic		-	-	-	-	$\checkmark$
	<b>5</b>	Corner Holes		8mm	5mm	-	-	5mm

NEED SOMETHING UNIQUE? EMAIL YOUR REQUIREMENTS TO SALES@SITEMAX.COM.AU FOR A CUSTOM QUOTE

# Keep safety in sight.

Safety signs should be sized based on distance, obstructions, and lighting to ensure readability, with larger signs needed as the distance from the viewpoint increases, as shown in Figure 1.



Figure 1 - Recommended sign sizes based on line of sight distance from eye, adapted from AS1319-1994<sup>1</sup>

1. Standards Australia, 2023, Standards Catalogue: AS 1319-1994 REC:2018, viewed 14 August 2023, https://www.standards.org.au/standards-catalogue/sa-snz/publicsafety/sf-005/as--1319-1994--rec-colon-2018

### **CUSTOM PRINTED RIGID SIGNS**

SAMPLE IMAGE DESCRIPTION SIZE UNIT RRP

#### SITE ENTRY SIGN WITH 5YR SAV LABEL | CUSTOM DIGITAL PRINT



STANDARD	5mm Corflute	900mm	\$68.70
STANDARD	STANDARD  1.4mm Poly	x 1200mm	\$102.20
CUSTOM	Any Material from Rigid Sign Range	Any Size Up To 2400mm	CUSTOM QUOTE

Refer to Custom Sign Guide on Pg.85 for Material & Size Options

CUSTOMISE THIS SIGN WITH YOUR LOGO & BUSINESS/SITE & CONTACT INFORMATION | CONTACT US FOR A QUOTE

### METRICS TRACKER / OPERATIONAL HEALTH AND SAFETY (OHS) ID SIGN | CUSTOM DIGITAL PRINT



STANDARD	3mm Alupanel with Gloss Laminate Finish	1200mm x 1500mm	\$218.10
CUSTOM	Any Material from	Any Size	CUSTOM
	Rigid Sign Range	Up To 2400mm	QUOTE

Refer to Custom Sign Guide on Pg.85 for Material & Size Options

#### CUSTOMISE THIS SIGN TO SUIT PROJECT SPECIFICATIONS | CONTACT US FOR A QUOTE

### **CUSTOM SAFETY SIGNS | CUSTOM DIGITAL PRINT**



CTANDARD	3mm Corflute	450mm	\$16.30
STANDARD	1.4mm Poly	x 600mm	\$29.00
CUSTOM	Any Material from Rigid Sign Range	Any Size Up To 2400mm	CUSTOM QUOTE

Refer to Custom Sign Guide on Pg.85 for Material & Size Options

CUSTOMISE THIS SIGN WITH YOUR LOGO & UNIQUE SAFETY MESSAGE | CONTACT US FOR A QUOTE



# **STANDARD SAFETY SIGNS | SCAFFOLDING**

PRODUCT IMAGE	DESCRIPTION	SKU	SIZE	UNIT RRP
DANGER	3mm Corflute	SVD500-3C		\$16.30
SCAFFOLDING	1.4mm Poly	SVD500-3P	600mm x 450mm	\$29.00
INCOMPLETE DO NOT USE	0.6mm Metal	SVD500-3M		\$53.00
DANGER	3mm Corflute	SVD505-3C		\$16.30
SCAFFOLDING	1.4mm Poly	SVD505-3P	600mm x 450mm	\$29.00
INCOMPLETE	0.6mm Metal	SVD505-3M		\$53.00
DANGER	3mm Corflute	SVD510-3C		\$16.30
SCAFFOLDING	1.4mm Poly	SVD510-3P	600mm x 450mm	\$29.00
LEVEL CLOSED	0.6mm Metal	SVD510-3M		\$53.00
DANGER	3mm Corflute	SVD515-3C		\$16.30
SCAFFOLDERS WORKING	1.4mm Poly	SVD515-3P	600mm x 450mm	\$29.00
OVERHEAD	0.6mm Metal	SVD515-3M		\$53.00
DANGER	3mm Corflute	SVD520-3C		\$16.30
SCAFFOLDING WORK IN	1.4mm Poly	SVD520-3P	600mm x 450mm	\$29.00
PROGRESS	0.6mm Metal	SVD520-3M		\$53.00
DANGER	3mm Corflute	SVD530-3C		\$16.30
SCAFFOLD STRIPPING IN PROGRESS	1.4mm Poly	SVD530-3P	600mm x 450mm	\$29.00
KEEP CLEAR	0.6mm Metal	SVD530-3M		\$53.00
THIS LOADING BAY HAS A SWL	3mm Corflute	SVD560-3C		\$16.30
	1.4mm Poly	SVD560-3P	600mm x 450mm	\$29.00
	0.6mm Metal	SVD560-3M		\$53.00
DANGER	3mm Corflute	SVD595-3C		\$16.30
NO SCAFFOLDING WITHIN 5 MTRS OF	1.4mm Poly	SVD595-3P	600mm x 450mm	\$29.00
POWERLINES	0.6mm Metal	SVD595-3M		\$53.00

### **CUSTOM A-FRAME SAFETY SIGNS**

PRODUCT IMAGE	DESCRIPTION	SKU	SIZE	RRP
DANGER  ABRASIVE BLASTING IN PROGRESS	Custom A-Frame Heavy-Duty Plastic Sign	CUSTOM	450mm x 650mm	CUSTOM QUOTE

### **A-FRAME INSERTABLE**

PRODUCT IMAGE	DESCRIPTION	SKU	SIZE	RRP
	A-Frame Insertable Frame	SUF800	To Fit 600mm x 900mm Corflute Signs	\$108

### **SWING STANDS FOR METAL SIGNS**

PRODUCT IMAGE	DESCRIPTION	SKU	SIZE	RRP
	Cuina Chand	To Fit SUF3SS 600mm x 600mm Metal Signs	600mm x 600mm	\$85
	Swing Stand	SUF4SS	To Fit 600mm x 900mm Metal Signs	\$90

Safety Signs To Safeguard Any Situation.

### Even That One.

### **Fast-tracked Quote Enquiries**

We'll respond to all quote enquiries within 4 hours.

### **Custom Artwork Prepared, Pronto**

We'll have new artwork designs ready within 24hrs.

### **Orders Dispatched On Time**

We'll dispatch standard signs within 24hrs and banner mesh rolls within 3 business days.

### **Expectations: Exceeded**

We strive to exceed customer expectations and make every experience with us a good one.



Explore Our Extensive Range of Safety Signs SCAN TO ACCESS NOW





**DANGER SIGNS** 



**MANDATORY PPE SIGNS** 



**NOTICE SIGNS** 



**WARNING SIGNS** 



**YELLOW WORKER SIGNS** 



**PPE SIGNS** 



**EMERGENCY SIGNS** 



**SECURITY SIGNS** 



**FIRE SAFETY SIGNS** 



**TEMPORARY TRAFFIC SIGNS** 



**SITE ENTRY SIGNS** 



**REFLECTIVE SIGNS** 



**VMP BOARDS & MAGNETS** 



**CUSTOM BANNERS & SIGNS** 



**BANNER MESH** 

# Ready To Place Your Order?

- Email Your Order Enquiry to sales@sitemax.com.au or Call 1800 007 557
- Our Team Will Respond with a **Quote** for Your Approval
- After We Have Received Approval To Proceed With Your Order for

#### **Custom Products & Signs**

Artwork is Optimised

Design Proof is Supplied

Design Proof is Approved

Product is Produced & Prepared

**Standard Products & Signs** 

Order is Prepared / Produced

- Your Order is Dispatched and Confirmation Email with ETA Sent to Your Inbox
- Receive Your Order, Delivered Directly to Site.

# We're Here To Help.

Our team is available to assist with your enquiry, Monday to Friday 7am-5pm.

1800 007 557 | sales@sitemax.com.au



# Access Exclusive Trade Pricing, Create An Account Today.

- ✓ Save On Price With A Trade Discount
- ✓ Receive Faster Order Processing
- ✓ Experience Priority Support



Scan to Get
Started!





